




**Essential information to help
you choose your vehicle**

NOTES - This catalogue does not represent contractual documentation, rather only general information. SEA S.p.A. reserves the right to change the features and fitting of any of its models without prior notice; all data contained in this brochure is therefore to be considered as indicative and nonbinding. For the above reasons, all information relating to the specifications and equipment of each model must be requested prior to purchase from the dealer, who, as the sole contact person, will confirm or correct the data published by updating the customer on the characteristics and actual equipment of the relevant vehicle being negotiated. Despite careful content checks, possible printing and/or translation errors cannot be excluded. This catalogue does not constitute contractual documentation. Any reproduction, even partial, of the text or contents of this document is prohibited. We disclaim all liability in the event of structural modifications made to the vehicle; any assembly, disassembly or modifications carried out at unauthorised workshops may endanger your safety and also lead to the voiding of warranty clauses. For more information on installation and technical details, please contact the authorised sales network.



SERIES 300 Slim MC4 Slim 331




APPROVED SEATS	4
SLEEPS	3 (+1 OPT)
SEATS AT THE TABLE	4



Essential information
to help you choose
your vehicle

Chassis	Weight (kg)	
Engine, Power		2.0 TDI 130 CV
Maximum technically permissible weight (kg)		3500
Weight unladen in running conditions (kg)		2725
Maximum mass of optional equipment (kg)		275
Wheelbase (mm)		3300
Maximum towable weight (kg)		2000
Wheels dimensions		16"
Automatic air conditioning		S
Driver and Passenger airbag		S
Cruise Control with Intelligent Speed Assist		S
ABS / ESP		S/S
Fuel Tank (l)		70
Driver and passenger swivelling seats		S
12" touch display / SYNC 4 infotainment system / 5G modem		S/S/S
Dimensions and places		
External length (mm) / External width (mm)		5990 / 2150
External height (cm) / Internal height (cm)		285 / 204
Rear Bed (cm)		201x129(119)
Dimensions Auxiliary bed in Dinette (cm)	5	188x89(50) (O)
Elevating Bed (cm)		190X90
Locker (useful opening, cm)		90x115 - 90x115
Max. internal garage height (cm)		120
Floor / walls / roof thickness (cm)		5,4 / 3 / 3
Floor / walls / roof material		MTS / VTR / VTR
Fiberglass roof, hail-proof		S
Installations		
Burners		2
Max tank capacity: fresh water in driving conditions / fresh water with stationary vehicle / grey water (l)		20 / 90 / 90
Compressor slim fridge (l)		152
Standard heating system		Combi Diesel 4 kW
Max capacity of gas locker (kg)		20
Integrated entry step		S
Heated garage locker		S
Skylights		
Rear skylight (mm)	- / 5	S (400x400) / O (700x500)
Central skylight (mm)		S (400x400)
Toilette skylight (mm)		S (280x280)
Double-glazed windows with blind / mosquito net		S
Equipments		
Isofix		S
Space for 32" TV		S
Beds with staves		S
Internal LED lightening		S
Provision for two lithium / AGM batteries		S
Exteriors		
Fog lights		S
Rear-view camera		S
Flyscreen for entrance door		S
XL entrance door		S
External LED light		S
Rear design with full LED headlights		S

S= standard O=optional VTR= Fibreglas MTS= multi-layered plywood



SERIES 300 Slim MC4 Slim 331 NB




APPROVED SEATS	4
SLEEPS	2 (+1 OPT)
SEATS AT THE TABLE	4



Essential information
to help you choose
your vehicle

Chassis	Weight (kg)	
Engine, Power		2.0 TDI 130 CV
Maximum technically permissible weight (kg)		3500
Weight unladen in running conditions (kg)		2725
Maximum mass of optional equipment (kg)		275
Wheelbase (mm)		3300
Maximum towable weight (kg)		2000
Wheels dimensions		16"
Automatic air conditioning		S
Driver and Passenger airbag		S
Cruise Control with Intelligent Speed Assist		S
ABS / ESP		S/S
Fuel tank (l)		70
Driver and passenger swivelling seats		S
12" touch display / SYNC 4 infotainment system / 5G modem		S/S/S
Dimensions and places		
External length (mm) / External width (mm)		5990 / 2150
External height (cm) / Internal height (cm)		285 / 204
Rear Bed (cm)		201x129(119)
Dimensions Auxiliary bed in Dinette (cm)	5	188x89(50) (O)
Locker (useful opening, cm)		90x115 - 90x115
Max. internal garage height (cm)		120
Floor / walls / roof thickness (cm)		5,4 / 3 / 3
Floor / walls / roof material		MTS / VTR / VTR
Fiberglass roof, hail-proof		S
Installations		
Burners		2
Max tank capacity: fresh water in driving conditions / fresh water with stationary vehicle / grey water (l)		20 / 90 / 90
Compressor slim fridge (l)		152
Standard heating system		Combi Diesel 4 kW
Max capacity of gas locker (kg)		20
Integrated entry step		S
Heated garage locker		S
Skylights		
Rear skylight (mm)	- / 5	S (400x400) / O (700x500)
Skylights dinette (mm)		S (700x500)
Toilette skylight (mm)		S (280x280)
Double-glazed windows with blind / mosquito net		S
Equipments		
Isofix		S
Space for 32" TV		S
Beds with staves		S
Internal LED lightening		S
Provision for two lithium / AGM batteries		S
Exteriors		
Fog lights		S
Rear-view camera		S
Flyscreen for entrance door		S
XL entrance door		S
External LED light		S
Rear design with full LED headlights		S

S= standard O=optional VTR= Fibreglas MTS= multi-layered plywood



SERIES 300 Slim MC4 Slim 337




APPROVED SEATS	4
SLEEPS	2 (+2 OPT)
SEATS AT THE TABLE	5



Essential information
to help you choose
your vehicle

Chassis	Weight (kg)	
Engine, Power		2.0 TDI 130 CV
Maximum technically permissible weight (kg)		3500
Weight unladen in running conditions (kg)		2775
Maximum mass of optional equipment (kg)		280
Wheelbase (mm)		3750
Maximum towable weight (kg)		2000
Wheels dimensions		16"
Automatic air conditioning		S
Driver and Passenger airbag		S
Cruise Control with Intelligent Speed Assist		S
ABS / ESP		S/S
Fuel Tank (l)		70
Driver and passenger swivelling seats		S
12" touch display / SYNC 4 infotainment system / 5G modem		S/S/S
Dimensions and places		
External length (mm) / External width (mm)		6390 / 2150
External height (cm) / Internal height (cm)		285 / 204
Dimensions Auxiliary bed in Dinette (cm)	5	200x149(96) (O)
Elevating Bed (cm)		190X140
Locker (useful opening, cm)		65x170 - 65x170
Max. internal garage height (cm)		219
Floor / walls / roof thickness (cm)		5,4 / 3 / 3
Floor / walls / roof material		MTS / VTR / VTR
Fiberglass roof, hail-proof		S
Installations		
Burners		2
Max tank capacity: fresh water in driving conditions / fresh water with stationary vehicle / grey water (l)		20 / 120 / 100
Compressor slim fridge (l)		152
Standard heating system		Combi Diesel 4 kW
Max capacity of gas locker (kg)		20
Integrated entry step		S
Heated garage locker		S
Skylights		
Rear skylight (mm)		S (400x400)
Central skylight (mm)		S (400x400)
Toilette skylight (mm)		S (280x280)
Double-glazed windows with blind / mosquito net		S
Equipments		
Isofix		S
Space for 32" TV		S
Comfort Seats travel mode		S
Beds with staves		S
Internal LED lightening		S
Provision for two lithium / AGM batteries		S
Exteriors		
Fog lights		S
Rear-view camera		S
Flyscreen for entrance door		S
XL entrance door		S
External LED light		S
Rear design with full LED headlights		S



SERIES 300 Slim MC4 Slim 339




APPROVED SEATS	4
SLEEPS	3+1 OPT
SEATS AT THE TABLE	4



Essential information
to help you choose
your vehicle

Chassis	Weight (kg)	
Engine, Power		2.0 TDI 130 CV
Maximum technically permissible weight (kg)		3500
Weight unladen in running conditions (kg)		2775
Maximum mass of optional equipment (kg)		280
Wheelbase (mm)		3750
Maximum towable weight (kg)		2000
Wheels dimensions		16"
Automatic air conditioning		S
Driver and Passenger airbag		S
Cruise Control with Intelligent Speed Assist		S
ABS / ESP		S/S
Fuel Tank (l)		70
Driver and passenger swivelling seats		S
12" touch display / SYNC 4 infotainment system / 5G modem		S/S/S
Dimensions and places		
External length (mm) / External width (mm)		6690 / 2150
External height (cm) / Internal height (cm)		285 / 204
Rear Bed (cm)	-	201x79 + 201x79 - 199x130
	7	199x190 (O)
Dimensions Auxiliary bed in Dinette (cm)	5	188x89 (50) (O)
Elevating Bed (cm)		190x90
Additional seat rear bed		S
Locker (useful opening, cm)		90x120 - 65x120
Max. internal garage height (cm)		120
Floor / walls / roof thickness (cm)		5,4 / 3 / 3
Floor / walls / roof material		MTS / VTR / VTR
Fiberglass roof, hail-proof		S
Installations		
Burners		2
Max tank capacity: fresh water in driving conditions / fresh water with stationary vehicle / grey water (l)		20 / 100 / 90
Compressor slim fridge (l)		152
Standard heating system		Combi Diesel 4 kW
Max capacity of gas locker (kg)		20
Integrated entry step		S
Heated garage locker		S
Skylights		
Rear skylight (mm)	- / 5	S (400x400) / O (700x500)
Central skylight (mm)		S (400x400)
Toilette skylight (mm)		S (280x280)
Double-glazed windows with blind / mosquito net		S
Equipments		
Isofix		S
Space for 32" TV		S
Beds with staves		S
Internal LED lightening		S
Provision for two lithium / AGM batteries		S
Exteriors		
Fog lights		S
Rear-view camera		S
Flyscreen for entrance door		S
XL entrance door		S
External LED light		S
Rear design with full LED headlights		S

S= standard O=optional VTR= Fibreglas MTS= multi-layered plywood



SERIES 300 Slim MC4 Slim 339 NB




APPROVED SEATS	4
SLEEPS	2 (+1 OPT)
SEATS AT THE TABLE	4



Essential information
to help you choose
your vehicle

Chassis	Weight (kg)	
Engine, Power		2.0 TDI 130 CV
Maximum technically permissible weight (kg)		3500
Weight unladen in running conditions (kg)		2775
Maximum mass of optional equipment (kg)		280
Wheelbase (mm)		3750
Maximum towable weight (kg)		2000
Wheels dimensions		16"
Automatic air conditioning		S
Driver and Passenger airbag		S
Cruise Control with Intelligent Speed Assist		S
ABS / ESP		S/S
Fuel tank (l)		70
Driver and passenger swivelling seats		S
12" touch display / SYNC 4 infotainment system / 5G modem		S/S/S
Dimensions and places		
External length (mm) / External width (mm)		6690 / 2150
External height (cm) / Internal height (cm)		285 / 204
Rear Bed (cm)	-	201x79 + 201x79 - 199x130
	7	199x190 (O)
Dimensions Auxiliary bed in Dinette (cm)	5	188x101(50) (O)
Additional seat rear bed		S
Locker (useful opening, cm)		90x120 - 65x120
Max. internal garage height (cm)		120
Floor / walls / roof thickness (cm)		5,4 / 3 / 3
Floor / walls / roof material		MTS / VTR / VTR
Fiberglass roof, hail-proof		S
Installations		
Burners		2
Max tank capacity: fresh water in driving conditions / fresh water with stationary vehicle / grey water (l)		20 / 100 / 90
Compressor slim fridge (l)		152
Standard heating system		Combi Diesel 4 kW
Max capacity of gas locker (kg)		20
Integrated entry step		S
Heated garage locker		S
Skylights		
Rear skylight (mm)	- / 5	S (400x400) / O (700x500)
Skylights dinette (mm)		S (700x500)
Toilette skylight (mm)		S (280x280)
Double-glazed windows with blind / mosquito net		S
Equipments		
Isofix		S
Space for 32" TV		S
Beds with staves		S
Internal LED lightening		S
Provision for two lithium / AGM batteries		S
Exteriors		
Fog lights		S
Rear-view camera		S
Flyscreen for entrance door		S
XL entrance door		S
External LED light		S
Rear design with full LED headlights		S

S= standard O=optional VTR= Fibreglas MTS= multi-layered plywood



SERIES 300 Slim MC4 Slim 367




APPROVED SEATS	4
SLEEPS	3 (+1 OPT)
SEATS AT THE TABLE	4



Essential information
to help you choose
your vehicle

Chassis	Weight (kg)	
Engine, Power		2.0 TDI 130 CV
Maximum technically permissible weight (kg)		3500
Weight unladen in running conditions (kg)		2865
Maximum mass of optional equipment (kg)		250
Wheelbase (mm)		3300
Maximum towable weight (kg)		2000
Wheels dimensions		16"
Automatic air conditioning		S
Driver and Passenger airbag		S
Cruise Control with Intelligent Speed Assist		S
ABS / ESP		S/S
Fuel tank (l)		70
Driver and passenger swivelling seats		S
12" touch display / SYNC 4 infotainment system / 5G modem		S/S/S
Dimensions and places		
External length (mm) / External width (mm)		6690 / 2150
External height (cm) / Internal height (cm)		285 / 204
Rear Bed (cm)		190x140
Electric rear bed height adjustment		S
Dimensions Auxiliary bed in Dinette (cm)	5	180x84(50) (O)
Elevating Bed (cm)		190x90
Locker (useful opening, cm)		90x115 - 90x115
Max. internal garage height (cm)		117
Floor / walls / roof thickness (cm)		5,4 / 3 / 3
Floor / walls / roof material		MTS / VTR / VTR
Fiberglass roof, hail-proof		S
Installations		
Burners		2
Max tank capacity: fresh water in driving conditions / fresh water with stationary vehicle / grey water (l)		20 / 90 / 90
Compressor slim fridge (l)		152
Standard heating system		Combi Diesel 4 kW
Max capacity of gas locker (kg)		20
Integrated entry step		S
Heated garage locker		S
Skylights		
Rear skylight (mm)	- / 5	S (400x400) / O (700x500)
Central skylight (mm)		S (400x400)
Toilette skylight (mm)		S (280x280)
Double-glazed windows with blind / mosquito net		S
Equipments		
Isofix		S
Space for 32" TV		S
Beds with staves		S
Internal LED lightening		S
Provision for two lithium / AGM batteries		S
Exteriors		
Fog lights		S
Rear-view camera		S
Flyscreen for entrance door		S
XL entrance door		S
External LED light		S
Rear design with full LED headlights		S

S= standard O=optional VTR= Fibreglas MTS= multi-layered plywood



SERIES 300 Slim MC4 Slim 367 NB



APPROVED SEATS	4
SLEEPS	2 (+1 OPT)
SEATS AT THE TABLE	4



Essential information
to help you choose
your vehicle

Chassis	Weight (kg)	
Engine, Power		2.0 TDI 130 CV
Maximum technically permissible weight (kg)		3500
Weight unladen in running conditions (kg)		2865
Maximum mass of optional equipment (kg)		250
Wheelbase (mm)		3300
Maximum towable weight (kg)		2000
Wheels dimensions		16"
Automatic air conditioning		S
Driver and Passenger airbag		S
Cruise Control with Intelligent Speed Assist		S
ABS / ESP		S/S
Fuel tank (l)		70
Driver and passenger swivelling seats		S
12" touch display / SYNC 4 infotainment system / 5G modem		S/S/S
Dimensions and places		
External length (mm) / External width (mm)		6690 / 2150
External height (cm) / Internal height (cm)		285 / 204
Rear Bed (cm)		190x140
Electric rear bed height adjustment		S
Dimensions Auxiliary bed in Dinette (cm)	5	180x84(50) (O)
Locker (useful opening, cm)		90x115 - 90x115
Max. internal garage height (cm)		117
Floor / walls / roof thickness (cm)		5,4 / 3 / 3
Floor / walls / roof material		MTS / VTR / VTR
Fiberglass roof, hail-proof		S
Installations		
Burners		2
Max tank capacity: fresh water in driving conditions / fresh water with stationary vehicle / grey water (l)		20 / 90 / 90
Compressor slim fridge (l)		152
Standard heating system		Combi Diesel 4 kW
Max capacity of gas locker (kg)		20
Integrated entry step		S
Heated garage locker		S
Skylights		
Rear skylight (mm)	- / 5	S (400x400) / O (700x500)
Skylights dinette (mm)		S (700x500)
Toilette skylight (mm)		S (280x280)
Double-glazed windows with blind / mosquito net		S
Equipments		
Isofix		S
Space for 32" TV		S
Beds with staves		S
Internal LED lightening		S
Provision for two lithium / AGM batteries		S
Exteriors		
Fog lights		S
Rear-view camera		S
Flyscreen for entrance door		S
XL entrance door		S
External LED light		S
Rear design with full LED headlights		S

OPTIONAL PACKS

SERIES 300 Slim



mc4



Weight (kg)

SERIES 300 SLIM PACK¹ Engine 165 HP; Painted bumper in matching body colour; Two-point XL locking door with window and central locking; CP Plus control panel; Panoramic roof; Sink cover; 32" TV holder; Seat covers coordinated with the upholstery; 200 W solar panel with MPPT controller; Pleated blinds	x	- ³
FORD MATIC PACK – SERIES 300 Slim Pack required Automatic transmission; "Matic" graphic pattern	x	62
DESIGN PACK – SERIES 300 Slim Pack and Ford Matic Pack required Cab with Moondust Silver metallic paint; 16" black alloy wheels	x	-13
EXTRA ASSISTANCE PACK – SERIES 300 Slim Pack and Ford Matic Pack required Electric windscreen defroster; Pre-Collision Assist 2.2 (Medium Range Radar, Emergency Steering Assist and Collision Warning/Distance Indication - NCAP4; Adaptive Cruise Control with lane centering and Stop&Go; Adaptive Cruise Control Integration with Traffic Sign Recognition; Power-folding mirrors with electric defroster; Navigation Center (it includes one-year trial of "Connected Navigation" - renewable via subscription)	x	0
WINTER PACK Insulated and heated grey water tank; Insulated entry step	x	11
PLEIN AIR PACK Anthracite awning ² ; External gas socket; Connection for external shower in the garage	x	28
BOOST PACK Second 200 W solar panel with MPPT controller; Lithium service battery; Second lithium service battery; Second 22 A battery charger	x	34
32" SATELLITE TV PACK 32" Smart TV; Satellite antenna	x	18
32" DIGITAL TV PACK 32" Smart TV; Digital antenna	x	9
32" WI-FI TV PACK 32" Smart TV; Wi-Fi router	x	7

¹ SERIES 300 Slim OPTIONAL PACKS at zero cost. PLEASE NOTE: promotion active in the launch price list and valid until further notice promo valid until further notice

² 3,5 meters on Mc4 Slim 337, 339/339 NB e 367/367 NB NB; 3 meters on Mc4 Slim 331/331 NB

³ Weight included in the vehicle

Additional packs and options may only be installed in accordance with the vehicle's maximum technically permissible weight. For the calculation of the weight, please refer to the QR code on page 1.

OPTIONS

SERIES 300 Slim




FORD CHASSIS - OPTIONS	KG	SERIES 300 SLIM						
		MC4 SLIM 331 NB	MC4 SLIM 331	MC4 SLIM 337	MC4 SLIM 339 NB	MC4 SLIM 339	MC4 SLIM 367 NB	MC4 SLIM 367
Increase in maximum permissible weight to 3,550 kg	-	O	O	O	O	O	O	O
Bi-Xenon headlights with LED DRL*	-	O	O	O	O	O	O	O

* Pack Matic and Pack Design are mandatory

LIVING AREA - OPTIONS	KG	SERIES 300 SLIM						
		MC4 SLIM 331 NB	MC4 SLIM 331	MC4 SLIM 337	MC4 SLIM 339 NB	MC4 SLIM 339	MC4 SLIM 367 NB	MC4 SLIM 367
Dinette conversion into bed	5	O	O	O	O	O	O	O
Conversion of twin beds into a 190 cm double bed	7	-	-	-	O	O	-	-
Urban Anthracite upholstery (fabrics + imitation leather)	-	O	O	O	O	O	O	O
Rear skylight – Midi Heki [700x500]	5	-	O	-	-	O	-	O
Omnivent skylight [400x400, with fan]	2	O	O	O	O	O	O	O
Oven	14	O	O	O	O	O	O	O
Day/night partition curtain	2	O	O	-	O	O	S (pleated)	S (pleated)
Truma Combi 6 Diesel heating (6000W)	-	O	O	O	O	O	O	O
Truma Combi 6 Diesel + electric heating (6000W)	1	O	O	O	O	O	O	O
Electrically heated floor *	7	O	O	O	O	O	O	O
Bicycle rack	12,5	O	O	O	O	O	O	O
Multi-purpose rails in the garage	6	O	O	O	O	O	O	O
Separation curtain between cab and living area	3	O	O	O	O	O	O	O

* Available only in combination with Combi 6 Diesel + Electric.

S= standard O=optional VTR= Fiberglas MTS= multi-layered plywood



SERIES 300 GLAMYS 320



APPROVED SEATS	6
SLEEPS	8
SEATS AT THE TABLE	4



Essential information
to help you choose
your vehicle

Chassis	Weight (kg)		FIAT
Engine, Power		2.0 TDI 130 CV	2.2 MJ 140 CV
Maximum technically permissible weight (kg)		3500	3500
Weight unladen in running conditions (kg)		2967	2898
Maximum mass of optional equipment (kg)		25	75
Wheelbase (mm)		3750	3800
Maximum towable weight (kg)		2000	2000
Wheels dimensions		16"	15"
Air conditioning		S	S
Driver and Passenger airbag		S	S
Cruise Control with Intelligent Speed Assist		S	S
ABS / ESC / ESP / TRACTION +		S/-S/-	S/S/-S
Fuel tank (l)		70	60
Driver and passenger swivelling seats		S	S
Tyres M+S (mud and snow)		-	S
Steering wheels control		S	S
9" touch screen radio / 12" touch display with SYNC 4 infotainment and 5G modem		-/S	S/-
Dimensions and places			
External lenght (mm) / External width (mm)		6990 / 2350	
External height(cm) / Internal height (cm)		320 / 204	
Rear Bed (cm)		200x127(110) - 208x128(110)	
Electric rear bed height adjustment		S	
Dimensions Auxiliary bed in Dinette (cm)		180x121	
Overcab bed (cm)		211(193)x160	
Locker (useful opening, cm)		90x115 - 90x115	
Max. internal garage height (cm)		124	
Floor / walls / roof thickness (cm)		5,4 / 3 / 3	
Floor / walls / roof material		MTS / VTR / VTR	
Fiberglass roof, hail-proof		S	
Installations			
Burners		2	
Max tank capacity: fresh water in driving conditions /fresh water with stationary vehicle / grey water (l)		20 / 100 / 100	
Automatic trivalent fridge (220V, 12V, gas) (l)		137	
Standard heating system		Combi Diesel 4 kW	
Max capacity of gas locker (kg)		20	
Integrated entry step		S	
Heated garage locker		S	
Skylights			
Rear skylight (mm)	- / 5	S (400x400) / O (700x500)	
Skylights dinette (mm)		S (400x400)	
Toilette skylight (mm)		S (280x280)	
Double-glazed windows with blind / mosquito net		S	
Equipments			
Isofix		S	
Space for 32" TV		S	
Beds with staves		S	
Internal LED lightening		S	
Exteriors			
Rear-view camera		S	
Flyscreen for entrance door		S	
XL entrance door		S	
External LED light		S	
Rear design with full LED headlights		S	

S= standard O=optional VTR= Fibreglas MTS= multi-layered plywood



SERIES 300 GLAMYS 322




APPROVED SEATS	7
SLEEPS	7
SEATS AT THE TABLE	6



Essential information
to help you choose
your vehicle

Chassis	Weight (kg)		FIAT
Engine, Power		2.0 TDI 130 CV	2.2 MJ 140 CV
Maximum technically permissible weight (kg)		3500	3500
Weight unladen in running conditions (kg)		2907	2878
Maximum mass of optional equipment (kg)		0	10
Wheelbase (mm)		3750	3800
Maximum towable weight (kg)		2000	2000
Wheels dimensions		16"	15"
Air conditioning		S	S
Driver and Passenger airbag		S	S
Cruise Control with Intelligent Speed Assist		S	S
ABS / ESC / ESP / TRACTION +		S/-S/-	S/S/-/S
Fuel tank (l)		70	60
Driver and passenger swivelling seats		S	S
Tyres M+S (mud and snow)		-	S
Steering wheels control		S	S
9" touch screen radio / 12" touch display with SYNC 4 infotainment and 5G modem		-/S	S/-
Dimensions and places			
External lenght (mm) / External width (mm)		6990 / 2350	
External height(cm) / Internal height (cm)		320 / 204	
Rear Bed (cm)		215x80 - 215x80	
Dimensions Auxiliary bed in Dinette (cm)		180x120 - 140x64	
Overcab bed (cm)		215x80 - 215x80	
Locker (useful opening, cm)		65x115 - 65x115	
Max. internal garage height (cm)		135	
Floor / walls / roof thickness (cm)		5,4 / 3 / 3	
Floor / walls / roof material		MTS / VTR / VTR	
Fiberglass roof, hail-proof		S	
Installations			
Burners		2	
Max tank capacity: fresh water in driving conditions /fresh water with stationary vehicle / grey water (l)		20 / 100 / 100	
Automatic trivalent fridge (220V, 12V, gas) (l)		137	
Standard heating system		Combi Diesel 4 kW	
Max capacity of gas locker (kg)		20	
Integrated entry step		S	
Heated garage locker		S	
Skylights			
Rear skylight (mm)		S (400x400)	
Skylights dinette (mm)		S (400x400)	
Toilette skylight (mm)		S (280x280)	
Double-glazed windows with blind / mosquito net		S	
Equipments			
Isofix		S	
Space for 32" TV		S	
Beds with staves		S	
Internal LED lightening		S	
Exteriors			
Rear-view camera		S	
Flyscreen for entrance door		S	
Porta cellula		S	
External LED light		S	
Rear design with full LED headlights		S	



SERIES 300 GLAMYS 365



APPROVED SEATS	5
SLEEPS	5
SEATS AT THE TABLE	5



Essential information
to help you choose
your vehicle

Chassis	Weight (kg)		
Engine, Power		2.0 TDI 130 CV	2.2 MJ 140 CV
Maximum technically permissible weight (kg)		3500	3500
Weight unladen in running conditions (kg)		2967	2898
Maximum mass of optional equipment (kg)		110	160
Wheelbase (mm)		3750	3800
Maximum towable weight (kg)		2000	2000
Wheels dimensions		16"	15"
Air conditioning		S	S
Driver and Passenger airbag		S	S
Cruise Control with Intelligent Speed Assist		S	S
ABS / ESC / ESP / TRACTION +		S/-/S/-	S/S/-/S
Fuel tank (l)		70	60
Driver and passenger swivelling seats		S	S
Tyres M+S (mud and snow)		-	S
Steering wheels control		S	S
9" touch screen radio / 12" touch display with SYNC 4 infotainment and 5G modem		-/S	S/-
Dimensions and places			
External lenght (mm) / External width (mm)		6990 / 2350	
External height(cm) / Internal height (cm)		320 / 204	
Rear Bed (cm)	- 7	191x80 + 208x80 - 212x130 212x190 (O)	
Dimensions Auxiliary bed in Dinette (cm)		216x65(65)	
Overcab bed (cm)		90x115 - 90x115	
Additional seat rear bed		S	
Locker (useful opening, cm)		211(193)x160	
Max. internal garage height (cm)		120	
Floor / walls / roof thickness (cm)		5,4 / 3 / 3	
Floor / walls / roof material		MTS / VTR / VTR	
Fiberglass roof, hail-proof		S	
Installations			
Burners		2	
Max tank capacity: fresh water in driving conditions /fresh water with stationary vehicle / grey water (l)		20 / 100 / 100	
Automatic trivalent fridge (220V, 12V, gas) (l)		137	
Standard heating system		Combi Diesel 4 kW	
Max capacity of gas locker (kg)		20	
Integrated entry step		S	
Heated garage locker		S	
Skylights			
Rear skylight (mm)	- / 5	S (400x400) / O (700x500)	
Skylights dinette (mm)		S (400x400)	
Toilette skylight (mm)		S (280x280)	
Double-glazed windows with blind / mosquito net		S	
Equipments			
Isofix		S	
Space for 32" TV		S	
Beds with staves		S	
Internal LED lightening		S	
Exteriors			
Rear-view camera		S	
Flyscreen for entrance door		S	
XL entrance door		S	
External LED light		S	
Rear design with full LED headlights		S	

S= standard O=optional VTR= Fibreglas MTS= multi-layered plywood



SERIES 300 MC4 321



APPROVED SEATS	5
SLEEPS	4
SEATS AT THE TABLE	6



Essential information
to help you choose
your vehicle

Chassis	Weight (kg)		FIAT
Engine, Power		2.0 TDI 130 CV	2.2 MJ 140 CV
Maximum technically permissible weight (kg)		3500	3500
Weight unladen in running conditions (kg)		2910	2878
Maximum mass of optional equipment (kg)		165	170
Wheelbase (mm)		3954	4035
Maximum towable weight (kg)		2000	2000
Wheels dimensions		16"	15"
Air conditioning		S	S
Driver and Passenger airbag		S	S
Cruise Control with Intelligent Speed Assist		S	S
ABS / ESC / ESP / TRACTION +		S/-/S/-	S/S/-/S
Fuel tank (l)		70	60
Driver and passenger swivelling seats		S	S
Tyres M+S (mud and snow)		-	S
Steering wheels control		S	S
9" touch screen radio / 12" touch display with SYNC 4 infotainment and 5G modem		-/S	S/-
Dimensions and places			
External lenght (mm) / External width (mm)		6990 / 2350	
External height(cm) / Internal height (cm)		285 / 204	
Dimensions Auxiliary bed in Dinette (cm)		214x126	
Elevating Bed (cm)		203x160	
Locker (useful opening, cm)		75x170 - 75x170	
Max. internal garage height (cm)		117 (219)	
Floor / walls / roof thickness (cm)		5,4 / 3 / 3	
Floor / walls / roof material		MTS / VTR / VTR	
Fiberglass roof, hail-proof		S	
Installations			
Burners		2	
Max tank capacity: fresh water in driving conditions /fresh water with stationary vehicle / grey water (l)		20 / 120 / 100	
Automatic trivalent fridge (220V, 12V, gas) (l)		145	
Standard heating system		Combi Diesel 4 kW	
Max capacity of gas locker (kg)		20	
Integrated entry step		S	
Heated garage locker		S	
Skylights			
Rear skylight (mm)		S (400x400)	
Central skylight (mm)		S (400x400)	
Skylights doccia (mm)		S (280x280)	
Double-glazed windows with blind / mosquito net		S	
Equipments			
Isofix		S	
Space for 32" TV		S	
Comfort Seats in modalità viaggio		S	
Beds with staves		S	
Internal LED lightening		S	
Exteriors			
Rear-view camera		S	
Flyscreen for entrance door		S	
XL entrance door		S	
External LED light		S	
Rear design with full LED headlights		S	



SERIES 300 MC4 360



APPROVED SEATS	5
SLEEPS	5
SEATS AT THE TABLE	4



Essential information
to help you choose
your vehicle

Chassis	Weight (kg)	Ford	FIAT
Engine, Power		2.0 TDI 130 CV	2.2 MJ 140 CV
Maximum technically permissible weight (kg)	3500	3500	3500
Weight unladen in running conditions (kg)	2905	2898	2898
Maximum mass of optional equipment (kg)	160	160	160
Wheelbase (mm)	3750	3800	3800
Maximum towable weight (kg)	2000	2000	2000
Wheels dimensions	16"	15"	15"
Air conditioning	S	S	S
Driver and Passenger airbag	S	S	S
Cruise Control with Intelligent Speed Assist	S	S	S
ABS / ESC / ESP / TRACTION +	S/-S/-	S/S/-S	S/S/-S
Fuel tank (l)	70	60	60
Driver and passenger swivelling seats	S	S	S
Tyres M+S (mud and snow)	-	S	S
Steering wheels control	S	S	S
9" touch screen radio / 12" touch display with SYNC 4 infotainment and 5G modem	-/S	S/-	S/-
Dimensions and places			
External length (mm) / External width (mm)	6990 / 2350		
External height (cm) / Internal height (cm)	285 / 204		
Rear Bed (cm)	210x140		
Electric rear bed height adjustment	S		
Dimensions Auxiliary bed in Dinette (cm)	216x84		
Elevating Bed (cm)	203x135(114)		
Locker (useful opening, cm)	90x115 - 90x115		
Max. internal garage height (cm)	125		
Floor / walls / roof thickness (cm)	5,4 / 3 / 3		
Floor / walls / roof material	MTS / VTR / VTR		
Fiberglass roof, hail-proof	S		
Installations			
Burners	2		
Max tank capacity: fresh water in driving conditions / fresh water with stationary vehicle / grey water (l)	20 / 100 / 100		
Automatic trivalent fridge (220V, 12V, gas) (l)	137		
Standard heating system	Combi Diesel 4 kW		
Max capacity of gas locker (kg)	20		
Integrated entry step	S		
Heated garage locker	S		
Skylights			
Rear skylight (mm)	- / 5	S (400x400) / O (700x500)	
Central skylight (mm)		S (400x400)	
Skylights doccia (mm)		S (280x280)	
Double-glazed windows with blind / mosquito net		S	
Equipments			
Isofix	S		
Space for 32" TV	S		
Beds with staves	S		
Internal LED lightening	S		
Exteriors			
Rear-view camera	S		
Flyscreen for entrance door	S		
XL entrance door	S		
External LED light	S		
Rear design with full LED headlights	S		



SERIES 300 MC4 365



APPROVED SEATS	5
SLEEPS	5
SEATS AT THE TABLE	5



Essential information
to help you choose
your vehicle

Chassis	Weight (kg)	Ford	FIAT
Engine, Power		2.0 TDI 130 CV	2.2 MJ 140 CV
Maximum technically permissible weight (kg)	3500	3500	3500
Weight unladen in running conditions (kg)	2935	2928	2928
Maximum mass of optional equipment (kg)	140	130	130
Wheelbase (mm)	3750	3800	3800
Maximum towable weight (kg)	2000	2000	2000
Wheels dimensions	16"	15"	15"
Air conditioning	S	S	S
Driver and Passenger airbag	S	S	S
Cruise Control with Intelligent Speed Assist	S	S	S
ABS / ESC / ESP / TRACTION +	S/-S/-	S/S/-S	S/S/-S
Fuel tank (l)	70	60	60
Driver and passenger swivelling seats	S	S	S
Tyres M+S (mud and snow)	-	S	S
Steering wheels control	S	S	S
9" touch screen radio / 12" touch display with SYNC 4 infotainment and 5G modem	-/S	S/-	S/-
Dimensions and places			
External length (mm) / External width (mm)	6990 / 2350		
External height(cm) / Internal height (cm)	285 / 204		
Rear Bed (cm)	- 7	191x80 + 208x80 - 212x130 212x190 (O)	
Dimensions Auxiliary bed in Dinette (cm)	216x65(43)		
Elevating Bed (cm)	203x135(114)		
Additional seat rear bed	S		
Locker (useful opening, cm)	90x115 - 90x115		
Max. internal garage height (cm)	117		
Floor / walls / roof thickness (cm)	5,4 / 3 / 3		
Floor / walls / roof material	MTS / VTR / VTR		
Fiberglass roof, hail-proof	S		
Installations			
Burners	2		
Max tank capacity: fresh water in driving conditions / fresh water with stationary vehicle / grey water (l)	20 / 100 / 100		
Automatic trivalent fridge (220V, 12V, gas) (l)	137		
Standard heating system	Combi Diesel 4 kW		
Max capacity of gas locker (kg)	20		
Integrated entry step	S		
Heated garage locker	S		
Skylights			
Rear skylight (mm)	- / 5	S (400x400) / O (700x500)	
Central skylight (mm)		S (400x400)	
Toilette skylight (mm)		S (280x280)	
Double-glazed windows with blind / mosquito net	S		
Equipments			
Isofix	S		
Space for 32" TV	S		
Beds with staves	S		
Internal LED lightening	S		
Exteriors			
Rear-view camera	S		
Flyscreen for entrance door	S		
XL entrance door	S		
External LED light	S		
Rear design with full LED headlights	S		

S= standard O=optional VTR= Fibreglas MTS= multi-layered plywood



SERIES 300 MC4 370




APPROVED SEATS	4
SLEEPS	4 (+1 OPT)
SEATS AT THE TABLE	4



Essential information
to help you choose
your vehicle

Chassis	Weight (kg)		FIAT
Engine, Power		2.0 TDI 130 CV	2.2 MJ 140 CV
Maximum technically permissible weight (kg)		3500	3500
Weight unladen in running conditions (kg)		2985	2978
Maximum mass of optional equipment (kg)		170	160
Wheelbase (mm)		3954	4035
Maximum towable weight (kg)		2000	2000
Wheels dimensions		16"	15"
Air conditioning		S	S
Driver and Passenger airbag		S	S
Cruise Control with Intelligent Speed Assist		S	S
ABS / ESC / ESP / TRACTION +		S/-/S/-	S/S/-/S
Fuel tank (l)		70	60
Driver and passenger swivelling seats		S	S
Tyres M+S (mud and snow)		-	S
Steering wheels control		S	S
9" touch screen radio / 12" touch display with SYNC 4 infotainment and 5G modem		-/S	S/-
Dimensions and places			
External length (mm) / External width (mm)		7450 / 2350	
External height(cm) / Internal height (cm)		285 / 204	
Rear Bed (cm)	- 7	200x80 - 200x80 - 215x130 215x190 (O)	
Dimensions Auxiliary bed in Dinette (cm)	5	215x90 (O)	
Elevating Bed (cm)		203x135(114)	
Additional seat rear bed		S	
Locker (useful opening, cm)		90x115 - 90x115	
Max. internal garage height (cm)		117	
Floor / walls / roof thickness (cm)		5,4 / 3 / 3	
Floor / walls / roof material		MTS / VTR / VTR	
Fiberglass roof, hail-proof		S	
Installations			
Burners		2	
Max tank capacity: fresh water in driving conditions /fresh water with stationary vehicle / grey water (l)		20 / 120 / 100	
Automatic trivalent fridge (220V, 12V, gas) (l)		137	
Standard heating system		Combi Diesel 4 kW	
Max capacity of gas locker (kg)		20	
Integrated entry step		S	
Heated garage locker		S	
Skylights			
Rear skylight (mm)	- / 5	S (400x400) / O (700x500)	
Central skylight (mm)		S (400x400)	
Toilette skylight (mm)		S (280x280)	
Double-glazed windows with blind / mosquito net		S	
Equipments			
Isofix		S	
Space for 32" TV		S	
Comfort Seats travel mode		S	
Beds with staves		S	
Internal LED lightening		S	
Exteriors			
Rear-view camera		S	
Flyscreen for entrance door		S	
XL entrance door		S	
External LED light		S	
Rear design with full LED headlights		S	

S= standard O=optional VTR= Fibreglas MTS= multi-layered plywood



SERIES 300 MC4 373




APPROVED SEATS	5
SLEEPS	5
SEATS AT THE TABLE	5



Essential information
to help you choose
your vehicle

Chassis	Weight (kg)		FIAT
Engine, Power		2.0 TDI 130 CV	2.2 MJ 140 CV
Maximum technically permissible weight (kg)		3500	3500
Weight unladen in running conditions (kg)		2940	2928
Maximum mass of optional equipment (kg)		130	140
Wheelbase (mm)		3954	4035
Maximum towable weight (kg)		2000	2000
Wheels dimensions		16"	15"
Air conditioning		S	S
Driver and Passenger airbag		S	S
Cruise Control with Intelligent Speed Assist		S	S
ABS / ESC / ESP / TRACTION +		S/-/S/-	S/S/-/S
Fuel tank (l)		70	60
Driver and passenger swivelling seats		S	S
Tyres M+S (mud and snow)		-	S
Steering wheels control		S	S
9" touch screen radio / 12" touch display with SYNC 4 infotainment and 5G modem		-/S	S/-
Dimensions and places			
External length (mm) / External width (mm)		7450 / 2350	
External height(cm) / Internal height (cm)		285 / 204	
Rear Bed (cm)	- 7	200x80 + 200x80 - 215x130 215x190 (O)	
Dimensions Auxiliary bed in Dinette (cm)		216x65	
Elevating Bed (cm)		203x135(114)	
Additional seat rear bed		S	
Locker (useful opening, cm)		90x115 - 90x115	
Max. internal garage height (cm)		117	
Floor / walls / roof thickness (cm)		5,4 / 3 / 3	
Floor / walls / roof material		MTS / VTR / VTR	
Fiberglass roof, hail-proof		S	
Installations			
Burners		2	
Max tank capacity: fresh water in driving conditions /fresh water with stationary vehicle / grey water (l)		20 / 100 / 100	
Automatic trivalent fridge (220V, 12V, gas) (l)		137	
Max capacity of gas locker (kg)		20	
Standard heating system		Combi Diesel 4 kW	
Integrated entry step		S	
Heated garage locker		S	
Skylights			
Rear skylight (mm)	- / 5	S (400x400) / O (700x500)	
Central skylight (mm)		S (400x400)	
Toilette skylight (mm)		S (280x280)	
Double-glazed windows with blind / mosquito net		S	
Equipments			
Isofix		S	
Space for 32" TV		S	
Beds with staves		S	
Internal LED lightening		S	
Exteriors			
Rear-view camera		S	
Flyscreen for entrance door		S	
XL entrance door		S	
External LED light		S	
Rear design with full LED headlights		S	

S= standard O=optional VTR= Fibreglas MTS= multi-layered plywood



SERIES 300 MC4 375




APPROVED SEATS	4
SLEEPS	4 (+1 OPT)
SEATS AT THE TABLE	5



Essential information
to help you choose
your vehicle

Chassis	Weight (kg)	FIRT
Engine, Power		2.2 MJ 140 CV
Maximum technically permissible weight (kg)		3500
Weight unladen in running conditions (kg)		3018
Maximum mass of optional equipment (kg)		120
Wheelbase (mm)		4035
Maximum towable weight (kg)		2000
Wheels dimensions		15"
Air conditioning		S
Driver and Passenger airbag		S
Cruise Control with Intelligent Speed Assist		S
ABS / ESC / TRACTION +		S/ S /S
Fuel tank (l)		60
Driver and passenger swivelling seats		S
Tyres M+S (mud and snow)		S
Steering wheels control		S
Radio touch screen 9"		S
Dimensions and places		
External length (mm) / External width (mm)		7430 / 2350
External height(cm) / Internal height (cm)		285 / 204
Rear Bed (cm)		200x80 - 200x80 - 215x140
Dimensions Auxiliary bed in Dinette (cm)	5	215x90 (O)
Elevating Bed (cm)		203x135(114)
Prolunga letto posteriore		S
Locker (useful opening, cm)		60x170 -77x75 - 50x90
Max. internal garage height (cm)		219
Floor / walls / roof thickness (cm)		5,4 / 3 / 3
Floor / walls / roof material		MTS / VTR / VTR
Fiberglass roof, hail-proof		S
Installations		
Burners		2
Max tank capacity: fresh water in driving conditions / fresh water with stationary vehicle / grey water (l)		20 / 120 / 85
Automatic trivalent fridge (220V, 12V, gas) (l)		137
Standard heating system		Combi Gas + Elettrico 6 kW
Max capacity of gas locker (kg)		20
Integrated entry step		S (insulated)
Heated garage locker		S
Skylights		
Rear skylight (mm)	- / 5	S (400x400) / O (700x500)
Central skylight (mm)		S (400x400)
Toilette skylight (mm)		S (280x280)
Double-glazed windows with blind / mosquito net		S
Equipments		
Serbatoio acque grigie insulated e riscaldato		S
Pavimento riscaldato elettricamente		S
Isofix		S
Space for 32" TV		S
Comfort Seats travel mode		S
Beds with staves		S
Internal LED lightening		S
Exteriors		
Rear-view camera		S
Flyscreen for entrance door		S
XL entrance door		S
External LED light		S
Rear design with full LED headlights		S

S= standard O=optional VTR= Fibreglas MTS= multi-layered plywood



SERIES 300
MC4 379




APPROVED SEATS	5
SLEEPS	5
SEATS AT THE TABLE	5



**Essential information
to help you choose
your vehicle**

Chassis	Weight (kg)	Ford	FIAT
Engine, Power		2.0 TDI 130 CV	2.2 MJ 140 CV
Maximum technically permissible weight (kg)	3500	3500	3500
Weight unladen in running conditions (kg)	2925	2918	2918
Maximum mass of optional equipment (kg)	140	140	140
Wheelbase (mm)	3954	4035	4035
Maximum towable weight (kg)	2000	2000	2000
Wheels dimensions	16"	15"	15"
Air conditioning	S	S	S
Driver and Passenger airbag	S	S	S
Cruise Control with Intelligent Speed Assist	S	S	S
ABS / ESC / ESP / TRACTION +	S/-/S/-	S/S/-/S	S/S/-/S
Fuel tank (l)	70	60	60
Driver and passenger swivelling seats	S	S	S
Tyres M+S (mud and snow)	-	S	S
Steering wheels control	S	S	S
9" touch screen radio / 12" touch display with SYNC 4 infotainment and 5G modem	-/S	S/-	S/-
Dimensions and places			
External length (mm) / External width (mm)	7450 / 2350		
External height(cm) / Internal height (cm)	285 / 204		
Rear Bed (cm)	190x150		
Electric rear bed height adjustment	S		
Dimensions Auxiliary bed in Dinette (cm)	215x64		
Elevating Bed (cm)	203x135(114)		
Locker (useful opening, cm)	90x115 - 90x115		
Max. internal garage height (cm)	117		
Floor / walls / roof thickness (cm)	5,4 / 3 / 3		
Floor / walls / roof material	MTS / VTR / VTR		
Fiberglass roof, hail-proof	S		
Installations			
Burners	2		
Max tank capacity: fresh water in driving conditions /fresh water with stationary vehicle / grey water (l)	20 / 100 / 100		
Automatic trivalent fridge (220V, 12V, gas) (l)	137		
Max capacity of gas locker (kg)	20		
Standard heating system	Combi Diesel 4 kW		
Integrated entry step	S		
Heated garage locker	S		
Skylights			
Rear skylight (mm)	- / 5	S (400x400) / O (700x500)	
Central skylight (mm)		S (400x400)	
Skylights doccia (mm)		S (280x280)	
Double-glazed windows with blind / mosquito net	S		
Equipments			
Isofix	S		
Space for 32" TV	S		
Beds with staves	S		
Internal LED lightening	S		
Exteriors			
Rear-view camera	S		
Flyscreen for entrance door	S		
XL entrance door	S		
External LED light	S		
Rear design with full LED headlights	S		

S= standard O=optional VTR= Fibreglas MTS= multi-layered plywood



SERIES 300 MC4 381



APPROVED SEATS	4
SLEEPS	4 (+1 OPT)
SEATS AT THE TABLE	4



Essential information
to help you choose
your vehicle

Chassis	Weight (kg)		FIAT
Engine, Power		2.0 TDI 130 CV	2.2 MJ 140 CV
Maximum technically permissible weight (kg)		3500	3500
Weight unladen in running conditions (kg)		2975	2968
Maximum mass of optional equipment (kg)		180	170
Wheelbase (mm)		3954	4035
Maximum towable weight (kg)		2000	2000
Wheels dimensions		16"	15"
Air conditioning		S	S
Driver and Passenger airbag		S	S
Cruise Control with Intelligent Speed Assist		S	S
ABS / ESC / ESP / TRACTION +		S/-S/-	S/S/-/S
Fuel tank (l)		70	60
Driver and passenger swivelling seats		S	S
Tyres M+S (mud and snow)		-	S
Steering wheels control		S	S
9" touch screen radio / 12" touch display with SYNC 4 infotainment and 5G modem		-/S	S/-
Dimensions and places			
External lenght (mm) / External width (mm)		7450 / 2350	
External height(cm) / Internal height (cm)		285 / 204	
Rear Bed (cm)		190x150	
Electric rear bed height adjustment		S	
Dimensions Auxiliary bed in Dinette (cm)	5	215x90 (O)	
Elevating Bed (cm)		203x135(114)	
Locker (useful opening, cm)		90x115 - 90x115	
Max. internal garage height (cm)		117	
Floor / walls / roof thickness (cm)		5,4 / 3 / 3	
Floor / walls / roof material		MTS / VTR / VTR	
Fiberglass roof, hail-proof		S	
Installations			
Burners		2	
Max tank capacity: fresh water in driving conditions /fresh water with stationary vehicle / grey water (l)		20 / 100 / 100	
Automatic trivalent fridge (220V, 12V, gas) (l)		137	
Max capacity of gas locker (kg)		20	
Standard heating system		Combi Diesel 4 kW	
Integrated entry step		S	
Heated garage locker		S	
Skylights			
Rear skylight (mm)	- / 5	S (400x400) / O (700x500)	
Central skylight (mm)		S (400x400)	
Skylights doccia (mm)		S (280x280)	
Double-glazed windows with blind / mosquito net		S	
Equipments			
Isofix		S	
Space for 32" TV		S	
Comfort Seats in modalità viaggio		S	
Beds with staves		S	
Internal LED lightening		S	
Exteriors			
Rear-view camera		S	
Flyscreen for entrance door		S	
XL entrance door		S	
External LED light		S	
Rear design with full LED headlights		S	

S= standard O=optional VTR= Fibreglas MTS= multi-layered plywood

OPTIONAL PACKS

SERIES 300



GLAMYS MC4

		FIAT		FIAT	Weight (kg)
SERIES 300 FORD PACK¹ 165 HP engine; Painted bumper in matching body colour; Two-point XL locking door with window and central locking; CP Plus control panel; Panoramic roof only on Mc4; Sink cover; 32" TV holder; Seat covers coordinated with the upholstery; 200 W solar panel with MPPT controller; Pleated blind	x		x		- ²
FORD MATIC PACK³ – Series 300 Ford Pack required Automatic transmission; "Matic" graphic pattern	x		x		62
DESIGN PACK – Serie 300 Ford Pack and Ford Matic Pack required Moondust Silver cab; 16" black alloy wheel rims	x		x		-13
EXTRA ASSISTANCE PACK (Heavy chassis mandatory⁴) – Serie 300 Ford Pack and Ford Matic Pack required Electric windscreen defroster; Pre-Collision Assist 2.2 (Medium Range Radar, Emergency Steering Assist and Collision Warning/Distance Indication - NCAP4; Adaptive Cruise Control with lane centering and Stop&Go; Adaptive Cruise Control Integration with Traffic Sign Recognition; Manually-folding mirrors with electric defroster; Navigation Center (it includes one-year trial of "Connected Navigation" - renewable via subscription)	x		x		0
SERIES 300 FIAT PACK¹ Fog lights; Painted bumper in matching body colour; Black skid plate; Two-colour 16" alloy wheels; Two-point XL locking door with window and central locking; CP Plus control panel; Panoramic roof only on Mc4; Sink cover; 32" TV holder; Seat covers coordinated with the upholstery; 200 W solar panel with MPPT controller; Pleated blind		x		x	- ²
FIAT MATIC PACK – Series 300 Fiat Pack required Automatic transmission; "Matic" graphic pattern; Composite suspension ⁵		x		x	48
MOTION PACK Electric handbrake; Soft-touch steering wheel and gear knob; Techno Dashboard		x		x	-9
EXTRA SAFETY PACK – Motion Pack required Light and rain sensors with high beam recognition; Adaptive Cruise Control for speed > 30 km/h		x		x	1
EXTRA TECH PACK – Motion Pack required Full Digital Cluster; Automatic climate control system; Wireless smartphone charger; FULL LED headlights		x		x	0
WINTER PACK⁶ Insulated and heated grey water tank; Insulated entry step	x	x	x	x	11
PLEIN AIR PACK Anthracite awning ⁷ ; External gas socket; Connection for external shower in the garage	x	x	x	x	32
32" SATELLITE TV PACK 32" Smart TV; Satellite antenna	x	x	x	x	18
32" DIGITAL TV PACK 32" Smart TV; Digital antenna	x	x	x	x	9
32" WI-FI TV PACK 32" Smart TV; Wi-Fi router	x	x	x	x	7

¹ Series 300 Ford or Fiat Pack optional at zero cost. PLEASE NOTE: promotion active in the launch price list and valid until further notice promo valid until further notice

² Weight included in the vehicle

³ On Glamys Ford, Ford Matic Pack must be selected together with Series 300 Ford pack

⁴ Heavy chassis can also be approved for 3.5 t

⁵ Not available on Heavy chassis

⁶ Standard on Mc4 375

⁷ 4 meters on Glamys 320, Mc4 321, 360, 365; 4,5 meters on Glamys 322, 365, Mc4 370, 373, 375, 379, 381

Additional packs and options may only be installed in accordance with the vehicle's maximum technically permissible weight. For the calculation of the weight, please refer to the QR code on page 1.

OPTIONS

SERIES 300



FORD CHASSIS - OPTIONS	KG	SERIES 300										
		GLAMYS			MC4							
		320	322	365	321	360	365	370	373	375	379	381
HEAVY chassis 4,100 kg *	-	O	O	O	O	O	O	O	O	-	O	O
Chassis capacity increase to 3,550 kg	-	O	O	O	O	O	O	O	O		O	
Bi-Xenon headlights with LED DRL**	-	O	O	O	O	O	O	O	O		O	

* Pack Matic and Extra Assistance Pack are both mandatory. Can be registered as 3,500 kg.

** Matic Pack and Design Pack are both mandatory.

FIAT CHASSIS - OPTIONS	KG	SERIES 300										
		GLAMYS			MC4							
		320	322	365	321	360	365	370	373	375	379	381
160 hp	10 manual 48 automatic	O	O	O	O	O	O	O	O	O	O	O
180 hp combined with automatic gearbox	48	O	O	O	O	O	O	O	O	O	O	O
Cab colour "SOLID" EXPEDITION GREY [676]	-	O	O	O	O	O	O	O	O	O	O	O
Cab colour "METALLIC" ARTENSE GREY [113]	-	O	O	O	O	O	O	O	O	O	O	O
Chassis capacity increase to 3,650 kg	-	O	O	O	O	O	O	O	O	O	O	O
HEAVY chassis** 4,250Kg* / 4,400Kg*	Manual: 62 Automatic: 82	4,25t: 140 CV M-AT / 160 CV M 4,4t: 160CV AT	4,25t: 140 CV M-AT / 160 CV M 4,4t: 160CV AT	4,25t: 140 CV M-AT / 160 CV M 4,4t: 160CV AT	4,25t: 140 CV M-AT / 160 CV M 4,4t: 160 CV AT / 180CV AT	4,25t: 140 CV M-AT / 160 CV M 4,4t: 160 CV AT	4,25t: 140 CV M-AT / 160 CV M 4,4t: 160CV AT	4,25t: 140 CV M-AT / 160 CV M 4,4t: 160 CV AT / 180 CV AT	4,25t: 140 CV M-AT / 160 CV M 4,4t: 160 CV AT / 180 CV AT	4,25t: 140 CV M-AT / 160 CV M 4,4t: 160 CV AT / 180 CV AT	4,25t: 140 CV M-AT / 160 CV M 4,4t: 160 CV AT / 180 CV AT	4,25t: 140 CV M-AT / 160 CV M 4,4t: 160 CV AT / 180 CV AT
		O	O	O	O	O	O	O	O	O	O	O
Pioneer radio navigation system with 3-year European map subscription	-	O	O	O	O	O	O	O	O	O	O	O

* All HEAVY chassis can also be type-approved for 3.500 kg or 4.250 kg.

** Check engines available on each column.


M: manual gearbox AT: automatic gearbox

LIVING AREA - OPTIONS	KG	SERIES 300										
		GLAMYS			MC4							
		320	322	365	321	360	365	370	373	375	379	381
Dinette conversion into bed	5	S	S	S	S	S	S	O (+1)	S	O (+1)	S	O (+1)
Urban Anthracite upholstery [fabric + imitation leather]	-	O	O	O	O	O	O	O	O	O	O	O
Conversion of twin beds into a 190 cm double bed	7	-	-	O	-	-	O	O	O	-	-	-
Single lithium battery + 22 A battery charger	11	O	O	O	O	O	O	O	O	O	O	O
Rear skylight – Midi Heki [700x500]	5	O	-	O	-	O	O	O	O	O	O	O
Omnivent skylight [400x400, with fan]	2	O	O	O	O	O	O	O	O	O	O	O
Oven	14	O	O	O	O	O	O	O	O	O	O	O
Truma Combi 6 Gas heating (6000W)	-	O	O	O	-	O	O	O	O	-	O	O
Truma Combi 6 Gas + Electric heating (6000W)	1	O	O	O	-	O	O	O	O	S	O	O
Truma Combi 6 Diesel heating (6000W)	-	O	O	O	O	O	O	O	O	-	O	O
Truma Combi 6 Diesel + electric heating (6000W)	1	O	O	O	O	O	O	O	O	O	O	O
Electrically heated floor *	7	O	O	O	O	O	O	O	O	S	O	O
Bicycle rack	12,5	O	O	O	O	O	O	O	O	O	O	O
Multi-purpose rails in the garage	6	O	O	O	O	O	O	O	O	-	O	O
Partition curtain between cab and living area	3	O	O	O	O	O	O	O	O	O	O	O

* Available only in combination with Combi 6 Gas + Electric or Combi 6 Diesel + Electric

S= standard O=optional VTR= Fiberglas MTS= multi-layered plywood

Additional packs and options may only be installed in accordance with the vehicle's maximum technically permissible weight.
For the calculation of the weight, please refer to the QR code on page 1.



SERIES 800 MC4 860



APPROVED SEATS

5

SLEEPS

5

SEATS AT THE TABLE


5



Essential information
to help you choose
your vehicle

Chassis	Weight (kg)		
Engine, Power		2.0 TDI 130 CV	2.2 MJ 140 CV
Maximum technically permissible weight (kg)	3500	3500	3500
Weight unladen in running conditions (kg)	2905	2898	2898
Maximum mass of optional equipment (kg)	140	140	140
Wheelbase (mm)	3750	3800	3800
Maximum towable weight (kg)	2000	2000	2000
Wheels dimensions	16"	15"	15"
Air conditioning	S	S	S
Driver and Passenger airbag	S	S	S
Cruise Control with Intelligent Speed Assist	S	S	S
ABS / ESC / ESP / TRACTION +	S/-/S/-	S/S/-/S	S/S/-/S
Fuel tank (l)	70	60	60
Driver and passenger swivelling seats	S	S	S
Tyres M+S (mud and snow)	-	S	S
Steering wheels control	S	S	S
9" touch screen radio / 12" touch display with SYNC 4 infotainment and 5G modem	-/S	S/-	S/-
Dimensions and places			
External length (mm) / External width (mm)	6990 / 2350		
External height (cm) / Internal height (cm)	285 / 204		
Rear Bed (cm)	207x137		
Electric rear bed height adjustment	S		
Dimensions Auxiliary bed in Dinette (cm)	216x85		
Elevating Bed (cm)	203x135(114)		
Locker (useful opening, cm)	90x120 - 90x120		
Max. internal garage height (cm)	120		
Floor / walls / roof thickness (cm)	5,4 / 3 / 3		
Floor / walls / roof material	MTS / VTR / VTR		
Fiberglass roof, hail-proof	S		
Installations			
Burners	2		
Max tank capacity: fresh water in driving conditions / fresh water with stationary vehicle / grey water (l)	20 / 100 / 90		
Compressor refrigerator (l)	158		
Standard heating system	Combi Gas 4 kW		
Max capacity of gas locker (kg)	20		
Integrated entry step	S (insulated)		
Heated garage locker	S		
Skylights			
Rear skylight (mm)	- / 5	S (400x400) / O (700x500)	
Central skylight (mm)		S (400x400)	
Toilette skylight (mm)		S (280x280)	
Double-glazed windows with blind / mosquito net		S	
Equipments			
Isofix		S	
Space for 32" TV		S	
Electronics with intelligent dual battery management		S	
Winter Pack (Insulated and heated grey water tank; Insulated entrance step)		S	
Beds with staves		S	
INet X control panel + app		S	
Internal LED lightening		S	
Exteriors			
Rear-view camera		S	
Flyscreen for entrance door		S	
XL entrance door		S	
External LED light		S	
Rear design with full LED headlights		S	
Provision for two lithium / AGM batteries		S	

S= standard O=optional VTR= Fibreglas MTS= multi-layered plywood



SERIES 800
MC4 865



APPROVED SEATS

5

SLEEPS

5

SEATS AT THE TABLE


5



**Essential information
to help you choose
your vehicle**

Chassis	Weight (kg)		
Engine, Power		2.0 TDI 130 CV	2.2 MJ 140 CV
Maximum technically permissible weight (kg)		3500	3500
Weight unladen in running conditions (kg)		2935	2928
Maximum mass of optional equipment (kg)		120	120
Wheelbase (mm)		3750	3800
Maximum towable weight (kg)		2000	2000
Wheels dimensions		16"	15"
Air conditioning		S	S
Driver and Passenger airbag		S	S
Cruise Control with Intelligent Speed Assist		S	S
ABS / ESC / ESP / TRACTION +		S/-/S/-	S/S/-/S
Fuel tank (l)		70	60
Driver and passenger swivelling seats		S	S
Tyres M+S (mud and snow)		-	S
Steering wheels control		S	S
9" touch screen radio / 12" touch display with SYNC 4 infotainment and 5G modem		-/S	S/-
Dimensions and places			
External lenght (mm) / External width (mm)		6990 / 2350	
External height(cm) / Internal height (cm)		285 / 204	
Rear Bed (cm)		200x81 + 199x81 - 215x165	
Dimensions Auxiliary bed in Dinette (cm)		216x85(65)	
Elevating Bed (cm)		203x135(114)	
Additional seat rear bed		S	
Locker (useful opening, cm)		90x120 - 90x120	
Max. internal garage height (cm)		121	
Floor / walls / roof thickness (cm)		5,4 / 3 / 3	
Floor / walls / roof material		MTS / VTR / VTR	
Fiberglass roof, hail-proof		S	
Installations			
Burners		2	
Max tank capacity: fresh water in driving conditions /fresh water with stationary vehicle / grey water (l)		20 / 100 / 90	
Compressor refrigerator (l)		158	
Standard heating system		Combi Gas 4 kW	
Max capacity of gas locker (kg)		20	
Integrated entry step		S (insulated)	
Heated garage locker		S	
Skylights			
Rear skylight (mm)	- / 5	S (400x400) / O (700x500)	
Central skylight (mm)		S (400x400)	
Toilette skylight (mm)		S (280x280)	
Double-glazed windows with blind / mosquito net		S	
Equipments			
Isofix		S	
Space for 32" TV		S	
Electronics with intelligent dual battery management		S	
Winter Pack (Insulated and heated grey water tank; Insulated entrance step)		S	
Beds with staves		S	
INet X control panel + app		S	
Internal LED lightening		S	
Provision for two lithium / AGM batteries		S	
Exteriors			
Rear-view camera		S	
Flyscreen for entrance door		S	
XL entrance door		S	
External LED light		S	
Rear design with full LED headlights		S	

S= standard O=optional VTR= Fibreglas MTS= multi-layered plywood



SERIES 800
MC4 870




APPROVED SEATS	4
SLEEPS	4 (+1 OPT)
SEATS AT THE TABLE	4



**Essential information
to help you choose
your vehicle**

Chassis	Weight (kg)		FIAT
Engine, Power		2.0 TDI 130 CV	2.2 MJ 140 CV
Maximum technically permissible weight (kg)		3500	3500
Weight unladen in running conditions (kg)		2985	2978
Maximum mass of optional equipment (kg)		150	150
Wheelbase (mm)		3954	4035
Maximum towable weight (kg)		2000	2000
Wheels dimensions		16"	15"
Air conditioning		S	S
Driver and Passenger airbag		S	S
Cruise Control with Intelligent Speed Assist		S	S
ABS / ESC / ESP / TRACTION +		S/-/S/-	S/S/-/S
Fuel tank (l)		70	60
Driver and passenger swivelling seats		S	S
Tyres M+S (mud and snow)		-	S
Steering wheels control		S	S
9" touch screen radio / 12" touch display with SYNC 4 infotainment and 5G modem		-/S	S/-
Dimensions and places			
External length (mm) / External width (mm)		7450 / 2350	
External height(cm) / Internal height (cm)		285 / 204	
Rear Bed (cm)		200x81 + 200x81 - 215x171	
Dimensions Auxiliary bed in Dinette (cm)	5	216x80 (O)	
Elevating Bed (cm)		203x135(114)	
Additional seat rear bed		S	
Locker (useful opening, cm)		90x120 - 90x120	
Max. internal garage height (cm)		120	
Floor / walls / roof thickness (cm)		5,4 / 3 / 3	
Floor / walls / roof material		MTS / VTR / VTR	
Fiberglass roof, hail-proof		S	
Installations			
Burners		2	
Max tank capacity: fresh water in driving conditions / fresh water with stationary vehicle / grey water (l)		20 / 120 / 90	
Compressor refrigerator (l)		158	
Standard heating system		Combi Gas 4 kW	
Max capacity of gas locker (kg)		20	
Integrated entry step		S (insulated)	
Heated garage locker		S	
Skylights			
Rear skylight (mm)	- / 5	S (400x400) / O (700x500)	
Central skylight (mm)		S (400x400)	
Toilette skylight (mm)		S (280x280)	
Double-glazed windows with blind / mosquito net		S	
Equipments			
Isofix		S	
Comfort Seats travel mode		S	
Space for 32" TV		S	
Electronics with intelligent dual battery management		S	
Winter Pack (Insulated and heated grey water tank; Insulated entrance step)		S	
Beds with staves		S	
INet X control panel + app		S	
Internal LED lightening		S	
Provision for two lithium / AGM batteries		S	
Exteriors			
Rear-view camera		S	
Flyscreen for entrance door		S	
XL entrance door		S	
External LED light		S	
Rear design with full LED headlights		S	

S= standard O=optional VTR= Fibreglas MTS= multi-layered plywood



SERIES 800
MC4 873



APPROVED SEATS

5

SLEEPS

5

SEATS AT THE TABLE


5



**Essential information
to help you choose
your vehicle**

Chassis	Weight (kg)		FIAT
Engine, Power		2.0 TDI 130 CV	2.2 MJ 140 CV
Maximum technically permissible weight (kg)	3500	3500	3500
Weight unladen in running conditions (kg)	2940	2928	2928
Maximum mass of optional equipment (kg)	110	120	120
Wheelbase (mm)	3954	4035	4035
Maximum towable weight (kg)	2000	2000	2000
Wheels dimensions	16"	15"	15"
Air conditioning	S	S	S
Driver and Passenger airbag	S	S	S
Cruise Control with Intelligent Speed Assist	S	S	S
ABS / ESC / ESP / TRACTION +	S/-/S/-	S/S/-/S	S/S/-/S
Fuel tank (l)	70	60	60
Driver and passenger swivelling seats	S	S	S
Tyres M+S (mud and snow)	-	S	S
Steering wheels control	S	S	S
9" touch screen radio / 12" touch display with SYNC 4 infotainment and 5G modem	-/S	S/-	S/-
Dimensions and places			
External length (mm) / External width (mm)	7450 / 2350		
External height (cm) / Internal height (cm)	285 / 204		
Rear Bed (cm)	200x81 - 200x81 - 215x171		
Dimensions Auxiliary bed in Dinette (cm)	216x50		
Elevating Bed (cm)	203x135(114)		
Additional seat rear bed	S		
Locker (useful opening, cm)	90x120 - 90x120		
Max. internal garage height (cm)	120		
Floor / walls / roof thickness (cm)	5,4 / 3 / 3		
Floor / walls / roof material	MTS / VTR / VTR		
Fiberglass roof, hail-proof	S		
Installations			
Burners	2		
Max tank capacity: fresh water in driving conditions / fresh water with stationary vehicle / grey water (l)	20 / 100 / 90		
Compressor refrigerator (l)	158		
Standard heating system	Combi Gas 4 kW		
Max capacity of gas locker (kg)	20		
Integrated entry step	S (insulated)		
Heated garage locker	S		
Skylights			
Rear skylight (mm)	- / 5	S (400x400) / O (700x500)	
Central skylight (mm)		S (400x400)	
Toilette skylight (mm)		S (280x280)	
Double-glazed windows with blind / mosquito net	S		
Equipments			
Isofix	S		
Space for 32" TV	S		
Electronics with intelligent dual battery management	S		
Winter Pack (Insulated and heated grey water tank; Insulated entrance step)	S		
Beds with staves	S		
INet X control panel + app	S		
Internal LED lightening	S		
Provision for two lithium / AGM batteries	S		
Exteriors			
Rear-view camera	S		
Flyscreen for entrance door	S		
XL entrance door	S		
External LED light	S		
Rear design with full LED headlights	S		

S= standard O=optional VTR= Fibreglas MTS= multi-layered plywood



SERIES 800
MC4 879




APPROVED SEATS	5
SLEEPS	5
SEATS AT THE TABLE	5



**Essential information
to help you choose
your vehicle**

Chassis	Weight (kg)	Ford	FIAT
Engine, Power		2.0 TDI 130 CV	2.2 MJ 140 CV
Maximum technically permissible weight (kg)	3500		3500
Weight unladen in running conditions (kg)	2925		2918
Maximum mass of optional equipment (kg)	120		120
Wheelbase (mm)	3954		4035
Maximum towable weight (kg)	2000		2000
Wheels dimensions	16"		15"
Air conditioning	S		S
Driver and Passenger airbag	S		S
Cruise Control with Intelligent Speed Assist	S		S
ABS / ESC / ESP / TRACTION +	S/-/S/-		S/S/-/S
Fuel tank (l)	70		60
Driver and passenger swivelling seats	S		S
Tyres M+S (mud and snow)	-		S
Steering wheels control	S		S
9" touch screen radio / 12" touch display with SYNC 4 infotainment and 5G modem	-/S		S/-
Dimensions and places			
External length (mm) / External width (mm)	7450 / 2350		
External height (cm) / Internal height (cm)	285 / 204		
Rear Bed (cm)	190x150		
Electric rear bed height adjustment	S		
Dimensions Auxiliary bed in Dinette (cm)	216x50		
Elevating Bed (cm)	203x135 (114)		
Locker (useful opening, cm)	90x120 - 90x120		
Max. internal garage height (cm)	117		
Floor / walls / roof thickness (cm)	5,4 / 3 / 3		
Floor / walls / roof material	MTS / VTR / VTR		
Fiberglass roof, hail-proof	S		
Installations			
Burners	2		
Max tank capacity: fresh water in driving conditions / fresh water with stationary vehicle / grey water (l)	20 / 100 / 90		
Compressor refrigerator (l)	158		
Standard heating system	Combi Gas 4 kW		
Max capacity of gas locker (kg)	20		
Integrated entry step	S (insulated)		
Heated garage locker	S		
Skylights			
Rear skylight (mm)	- / 5	S (400x400) / O (700x500)	
Central skylight (mm)		S (400x400)	
Toilette skylight (mm)		S (280x280)	
Double-glazed windows with blind / mosquito net	S		
Equipments			
Isofix	S		
Space for 32" TV	S		
Electronics with intelligent dual battery management	S		
Winter Pack (Insulated and heated grey water tank; Insulated entrance step)	S		
Beds with staves	S		
INet X control panel + app	S		
Internal LED lightening	S		
Provision for two lithium / AGM batteries	S		
Exteriors			
Rear-view camera	S		
Flyscreen for entrance door	S		
XL entrance door	S		
External LED light	S		
Rear design with full LED headlights	S		

S= standard O=optional VTR= Fibreglas MTS= multi-layered plywood



SERIES 800
MC4 881




APPROVED SEATS	4
SLEEPS	4 (+1 OPT)
SEATS AT THE TABLE	4



**Essential information
to help you choose
your vehicle**

Chassis	Weight (kg)		FIAT
Engine, Power		2.0 TDI 130 CV	2.2 MJ 140 CV
Maximum technically permissible weight (kg)		3500	3500
Weight unladen in running conditions (kg)		2975	2968
Maximum mass of optional equipment (kg)		160	150
Wheelbase (mm)		3954	4035
Maximum towable weight (kg)		2000	2000
Wheels dimensions		16"	15"
Air conditioning		S	S
Driver and Passenger airbag		S	S
Cruise Control with Intelligent Speed Assist		S	S
ABS / ESC / ESP / TRACTION +		S/-/S/-	S/S/-/S
Fuel tank (l)		70	60
Driver and passenger swivelling seats		S	S
Tyres M+S (mud and snow)		-	S
Steering wheels control		S	S
9" touch screen radio / 12" touch display with SYNC 4 infotainment and 5G modem		-/S	S/-
Dimensions and places			
External length (mm) / External width (mm)		7450 / 2350	
External height (cm) / Internal height (cm)		285 / 204	
Rear Bed (cm)		190x150	
Electric rear bed height adjustment		S	
Dimensions Auxiliary bed in Dinette (cm)	5	216x80 (O)	
Elevating Bed (cm)		203x135 (114)	
Locker (useful opening, cm)		90x120 - 90x120	
Max. internal garage height (cm)		117	
Floor / walls / roof thickness (cm)		5,4 / 3 / 3	
Floor / walls / roof material		MTS / VTR / VTR	
Fiberglass roof, hail-proof		S	
Installations			
Burners		2	
Max tank capacity: fresh water in driving conditions / fresh water with stationary vehicle / grey water (l)		20 / 120 / 90	
Compressor refrigerator (l)		158	
Standard heating system		Combi Gas 4 kW	
Max capacity of gas locker (kg)		20	
Integrated entry step		S (insulated)	
Heated garage locker		S	
Skylights			
Rear skylight (mm)	- / 5	S (400x400) / O (700x500)	
Central skylight (mm)		S (400x400)	
Toilette skylight (mm)		S (280x280)	
Double-glazed windows with blind / mosquito net		S	
Equipments			
Isofix		S	
Comfort Seats travel mode		S	
Space for 32" TV		S	
Electronics with intelligent dual battery management		S	
Winter Pack (Insulated and heated grey water tank; Insulated entrance step)		S	
Beds with staves		S	
INet X control panel + app		S	
Internal LED lightening		S	
Provision for two lithium / AGM batteries		S	
Exteriors			
Rear-view camera		S	
Flyscreen for entrance door		S	
XL entrance door		S	
External LED light		S	
Rear design with full LED headlights		S	

S= standard O=optional VTR= Fibreglas MTS= multi-layered plywood



SERIES 800 NEVIS 840




APPROVED SEATS	5
SLEEPS	5 (+2 OPT)
SEATS AT THE TABLE	7



Essential information
to help you choose
your vehicle

Chassis	Weight (kg)	FIAT
Engine, Power		2.2 MJ 140 CV
Maximum technically permissible weight (kg)		3500
Weight unladen in running conditions (kg)		2978
Maximum mass of optional equipment (kg)		60
Wheelbase (mm)		4035
Maximum towable weight (kg)		2000
Wheels dimensions		15"
Air conditioning		S
Driver and Passenger airbag		S
Cruise Control with Intelligent Speed Assist		S
ABS / ESC / TRACTION +		S/S/S
Fuel tank (l)		60
Driver and passenger swivelling seats		S
DRL led Headlights (Day running light)		S
Tyres M+S (mud and snow)		S
Radio touch screen 9" / Steering wheels control		S/S
Dimensions and places		
External length (mm) / External width (mm)		7450/2350
External height(cm) / Internal height (cm)		285/204
Rear Bed (cm)		215x80 + 215x80
Dimensions Auxiliary bed in front Dinette (cm)	5	215x120 (O)
Dimensions Auxiliary bed in rear Dinette (cm)		215x135
Elevating Bed (cm)		190x145
Locker (useful opening, cm)		65x120 - 65x120
Max. internal garage height (cm)		138
Floor / walls / roof thickness (cm)		5,4 / 3 / 3
Floor / walls / roof material		MTS / VTR / VTR
Fiberglass roof, hail-proof		S
Installations		
Burners		2
Max tank capacity: fresh water in driving conditions / fresh water with stationary vehicle / grey water (l)		20 / 100 / 90
Compressor refrigerator (l)		158
Standard heating system		Combi gas 4 Kw
Max capacity of gas locker (kg)		20
Integrated entry step		S (isolato)
Heated garage locker		S
Skylights		
Rear skylight (mm)	- / 5	S (400x400) / O (700x500)
Central skylight (mm)		S (400x400)
Skylights dinette (mm)	- / 6	S (700x500) / O (900x600)
Toilette skylight (mm)		S (280x280)
Double-glazed windows with blind / mosquito net		S
Equipments		
Isofix		S
Comfort Seats travel mode		S
Space for 32" TV		S
Electronics with intelligent dual battery management		S
Winter Pack (Insulated and heated grey water tank: Insulated entrance step)		S
Beds with staves		S
INet X control panel + app		S
Internal LED lightening		S
Provision for two lithium / AGM batteries		S
Exteriors		
Rear-view camera		S
Flyscreen for entrance door		S
XL entrance door		S
External LED light		S
Panoramic windshield		S
Rear design with full LED headlights		S



SERIES 800 NEVIS 870




APPROVED SEATS	4
SLEEPS	4 (+1 OPT)
SEATS AT THE TABLE	4



Essential information
to help you choose
your vehicle

Chassis	Weight (kg)	FIAT
Engine, Power		2.2 MJ 140 CV
Maximum technically permissible weight (kg)		3500
Weight unladen in running conditions (kg)		2978
Maximum mass of optional equipment (kg)		150
Wheelbase (mm)		4035
Maximum towable weight (kg)		2000
Wheels dimensions		15"
Air conditioning		S
Driver and Passenger airbag		S
Cruise Control with Intelligent Speed Assist		S
ABS / ESC / TRACTION +		S/S/S
Fuel tank (l)		60
Driver and passenger swivelling seats		S
DRL led Headlights (Day running light)		S
Tyres M+S (mud and snow)		S
Radio touch screen 9" / Steering wheels control		S/S
Dimensions and places		
External length (mm) / External width (mm)		7450 / 2350
External height(cm) / Internal height (cm)		285 / 204
Rear Bed (cm)		200x81 + 200x81 - 215x171
Dimensions Auxiliary bed in Dinette (cm)	5	216x80 (O)
Elevating Bed (cm)		190x145
Additional seat rear bed		S
Locker (useful opening, cm)		90x120 - 90x120
Max. internal garage height (cm)		120
Floor / walls / roof thickness (cm)		5.4 / 3 / 3
Floor / walls / roof material		MTS / VTR / VTR
Fiberglass roof, hail-proof		S
Installations		
Burners		2
Max tank capacity: fresh water in driving conditions / fresh water with stationary vehicle / grey water (l)		20 / 120 / 90
Compressor refrigerator (l)		158
Standard heating system		Combi Gas 4 kW
Max capacity of gas locker (kg)		20
Integrated entry step		S (insulated)
Heated garage locker		S
Skylights		
Rear skylight (mm)	- / 5	S (400x400) / O (700x500)
Central skylight (mm)		S (400x400)
Skylights dinette (mm)	- / 7	S (700x500) / O (900x600)
Toilette skylight (mm)		S (280x280)
Double-glazed windows with blind / mosquito net		S
Equipments		
Isofix		S
Comfort Seats travel mode		S
Space for 32" TV		S
Electronics with intelligent dual battery management		S
Winter Pack (Insulated and heated grey water tank; Insulated entrance step)		S
Beds with staves		S
INet X control panel + app		S
Internal LED lightening		S
Provision for two lithium / AGM batteries		S
Exteriors		
Rear-view camera		S
Flyscreen for entrance door		S
XL entrance door		S
External LED light		S
Panoramic windshield		S
Rear design with full LED headlights		S

S= standard O=optional VTR= Fibreglas MTS= multi-layered plywood



SERIES 800 NEVIS 873




APPROVED SEATS	5
SLEEPS	5
SEATS AT THE TABLE	5



Essential information
to help you choose
your vehicle

Chassis	Weight (kg)	FIAT
Engine, Power		2.2 MJ 140 CV
Maximum technically permissible weight (kg)		3500
Weight unladen in running conditions (kg)		2928
Maximum mass of optional equipment (kg)		120
Wheelbase (mm)		4035
Maximum towable weight (kg)		2000
Wheels dimensions		15"
Air conditioning		S
Driver and Passenger airbag		S
Cruise Control with Intelligent Speed Assist		S
ABS / ESC / TRACTION +		S/S/S
Fuel tank (l)		60
Driver and passenger swivelling seats		S
DRL led Headlights (Day running light)		S
Tyres M+S (mud and snow)		S
Radio touch screen 9" / Steering wheels control		S/S
Dimensions and places		
External length (mm) / External width (mm)		7450 / 2350
External height (cm) / Internal height (cm)		285 / 204
Rear Bed (cm)		200x81 + 200x81 - 215x171
Dimensions Auxiliary bed in Dinette (cm)		216x60
Elevating Bed (cm)		190x145
Additional seat rear bed		S
Locker (useful opening, cm)		90x120 - 90x120
Max. internal garage height (cm)		120
Floor / walls / roof thickness (cm)		5,4 / 3 / 3
Floor / walls / roof material		MTS / VTR / VTR
Fiberglass roof, hail-proof		S
Installations		
Burners		2
Max tank capacity: fresh water in driving conditions / fresh water with stationary vehicle / grey water (l)		20 / 100 / 90
Compressor refrigerator (l)		158
Standard heating system		Combi Gas 4 kW
Max capacity of gas locker (kg)		20
Integrated entry step		S (insulated)
Heated garage locker		S
Skylights		
Rear skylight (mm)	- / 5	S (400x400) / O (700x500)
Central skylight (mm)		S (400x400)
Skylights dinette (mm)	- / 6	S (700x500) / O (900x600)
Toilette skylight (mm)		S (280x280)
Double-glazed windows with blind / mosquito net		S
Equipments		
Isofix		S
Space for 32" TV		S
Electronics with intelligent dual battery management		S
Winter Pack (Insulated and heated grey water tank; Insulated entrance step)		S
Beds with staves		S
INet X control panel + app		S
Internal LED lightening		S
Provision for two lithium / AGM batteries		S
Exteriors		
Rear-view camera		S
Flyscreen for entrance door		S
XL entrance door		S
External LED light		S
Panoramic windshield		S
Rear design with full LED headlights		S



SERIES 800 NEVIS 879




APPROVED SEATS	5
SLEEPS	5
SEATS AT THE TABLE	5



Essential information
to help you choose
your vehicle

Chassis	Weight (kg)	FIAT
Engine, Power		2.2 MJ 140 CV
Maximum technically permissible weight (kg)		3500
Weight unladen in running conditions (kg)		2918
Maximum mass of optional equipment (kg)		120
Wheelbase (mm)		4035
Maximum towable weight (kg)		2000
Wheels dimensions		15"
Air conditioning		S
Driver and Passenger airbag		S
Cruise Control with Intelligent Speed Assist		S
ABS / ESC / TRACTION +		S/S/S
Fuel tank (l)		60
Driver and passenger swivelling seats		S
DRL led Headlights (Day running light)		S
Tyres M+S (mud and snow)		S
Radio touch screen 9" / Steering wheels control		S/S
Dimensions and places		
External length (mm) / External width (mm)		7450 / 2350
External height (cm) / Internal height (cm)		285 / 204
Rear Bed (cm)		190x150
Electric rear bed height adjustment		S
Dimensions Auxiliary bed in Dinette (cm)		216x60
Elevating Bed (cm)		190x145
Locker (useful opening, cm)		90x120 - 90x120
Max. internal garage height (cm)		117
Floor / walls / roof thickness (cm)		5,4 / 3 / 3
Floor / walls / roof material		MTS / VTR / VTR
Fiberglass roof, hail-proof		S
Installations		
Burners		2
Max tank capacity: fresh water in driving conditions / fresh water with stationary vehicle / grey water (l)		20 / 100 / 90
Compressor refrigerator (l)		158
Standard heating system		Combi Gas 4 kW
Max capacity of gas locker (kg)		20
Integrated entry step		S (insulated)
Heated garage locker		S
Skylights		
Rear skylight (mm)	- / 5	S (400x400) / O (700x500)
Central skylight (mm)		S (400x400)
Skylights dinette (mm)	- / 6	S (700x500) / O (900x600)
Toilette skylight (mm)		S (280x280)
Double-glazed windows with blind / mosquito net		S
Equipments		
Isofix		S
Space for 32" TV		S
Electronics with intelligent dual battery management		S
Winter Pack (Insulated and heated grey water tank; Insulated entrance step)		S
Beds with staves		S
INet X control panel + app		S
Internal LED lightening		S
Provision for two lithium / AGM batteries		S
Exteriors		
Rear-view camera		S
Flyscreen for entrance door		S
XL entrance door		S
External LED light		S
Panoramic windshield		S
Rear design with full LED headlights		S



SERIES 800 NEVIS 881



APPROVED SEATS	4
SLEEPS	4 (+1 OPT)
SEATS AT THE TABLE	4



Essential information
to help you choose
your vehicle

Chassis	Weight (kg)	FIAT
Engine, Power		2.2 MJ 140 CV
Maximum technically permissible weight (kg)		3500
Weight unladen in running conditions (kg)		2968
Maximum mass of optional equipment (kg)		150
Wheelbase (mm)		4035
Maximum towable weight (kg)		2000
Wheels dimensions		15"
Air conditioning		S
Driver and Passenger airbag		S
Cruise Control with Intelligent Speed Assist		S
ABS / ESC / TRACTION +		S/S/S
Fuel tank (l)		60
Driver and passenger swivelling seats		S
DRL led Headlights (Day running light)		S
Tyres M+S (mud and snow)		S
Radio touch screen 9" / Steering wheels control		S/S
Dimensions and places		
External length (mm) / External width (mm)		7450 / 2350
External height (cm) / Internal height (cm)		285 / 204
Rear Bed (cm)		190x150
Electric rear bed height adjustment		S
Dimensions Auxiliary bed in Dinette (cm)	5	214x80 (O)
Elevating Bed (cm)		190x145
Locker (useful opening, cm)		90x120 - 90x120
Max. internal garage height (cm)		117
Floor / walls / roof thickness (cm)		5,4 / 3 / 3
Floor / walls / roof material		MTS / VTR / VTR
Fiberglass roof, hail-proof		S
Installations		
Burners		2
Max tank capacity: fresh water in driving conditions / fresh water with stationary vehicle / grey water (l)		20 / 120 / 90
Compressor refrigerator (l)		158
Standard heating system		Combi Gas 4 kW
Max capacity of gas locker (kg)		20
Integrated entry step		S (insulated)
Heated garage locker		S
Skylights		
Rear skylight (mm)	- / 5	S (400x400) / O (700x500)
Central skylight (mm)		S (400x400)
Skylights dinette (mm)	- / 6	S (700x500) / O (900x600)
Toilette skylight (mm)		S (280x280)
Double-glazed windows with blind / mosquito net		S
Equipments		
Isofix		S
Comfort Seats travel mode		S
Space for 32" TV		S
Electronics with intelligent dual battery management		S
Winter Pack (Insulated and heated grey water tank; Insulated entrance step)		S
Beds with staves		S
INet X control panel + app		S
Internal LED lightening		S
Provision for two lithium / AGM batteries		S
Exteriors		
Rear-view camera		S
Flyscreen for entrance door		S
XL entrance door		S
External LED light		S
Panoramic windshield		S
Rear design with full LED headlights		S

OPTIONAL PACKS

SERIES 800



	MC4 	NEVIS 	FIAT 	Weight (kg)
MC4 SERIES 800 FORD PACK¹ 165 HP engine; Painted bumper in matching body colour; Two-point XL locking door with window and central locking; 32" TV holder; Panoramic roof; Seat covers coordinated with the upholstery; 200 W solar panel with MPPT controller; Pleated Blind	x			- ²
DESIGN PACK – Mc4 Series 800 Ford Pack required and Ford Matic Pack required Moondust Silver cab; 16" black alloy wheel rims	x			62
DESIGN PACK – Mc4 Series 800 Ford Pack required and Ford Matic Pack required Moondust Silver cab; 16" black alloy wheel rims	x			-13
EXTRA ASSISTANCE PACK (Heavy chassis⁴ mandatory) – Mc4 Series 800 Ford Pack required and Ford Matic Pack required Electric windscreen defroster; Pre-Collision Assist 2.2 (Medium Range Radar, Emergency Steering Assist and Collision Warning/Distance Indication - NCAP4; Adaptive Cruise Control with lane centering and Stop&Go; Adaptive Cruise Control Integration with Traffic Sign Recognition; Manually-folding mirrors with electric defroster; Navigation Center (it includes one-year trial of "Connected Navigation" - renewable via subscription)	x			0
MC4 SERIES 800 FIAT PACK¹ Fog lights; Painted bumper in matching body colour; Black skid plate; Two-colour 16" alloy wheels; Two-point XL locking door with window and central locking; 32" TV holder; Panoramic roof; Seat covers coordinated with the upholstery; 200 W solar panel with MPPT regulator; Pleated blind		x		- ²
NEVIS SERIES 800 FIAT PACK¹ Fog lights; Two-colour 16" alloy wheels; Two-point XL locking door with window and central locking; 32" TV holder; 200 W solar panel with MPPT controller; Pleated blind			x	- ²
FIAT MATIC PACK – Mc4 Series 800 Fiat Pack or Nevis Series 800 Fiat Pack required Automatic transmission; "Matic" graphic pattern; Composite suspension ⁵		x	x	48
MOTION PACK Electric handbrake; Soft-touch steering wheel and gear knob; Techno Dashboard		x	x	-9
EXTRA SAFETY PACK - Motion Pack required Light and rain sensors with high beam recognition; Adaptive Cruise Control for speed > 30 km/h		x	x	1
EXTRA TECH PACK – Motion Pack required Full Digital Cluster; Automatic climate control system; Wireless smartphone charger; FULL LED headlights on Mc4		x		0
PLEIN AIR PACK Anthracite awning ⁶ ; External gas socket; Connection for external shower in the garage	x	x	x	32/36 ³
BOOST PACK – Mc4 Series 800 Ford / Fiat Pack or Nevis Series 800 Fiat Pack required Second 200 W solar panel with MPPT controller; Lithium service battery; Second lithium service battery; Second 22 A battery charger	x	x	x	34
32" SATELLITE TV PACK 32" Smart TV; Satellite antenna	x	x	x	18
32" DIGITAL TV PACK 32" Smart TV; Digital antenna	x	x	x	9
32" WI-FI TV PACK 32" Smart TV; Wi-Fi router	x	x	x	7

¹ Series 800 Ford or Fiat Pack and Nevis Series 800 Fiat Pack optional at zero cost.

PLEASE NOTE: promotion active in the launch price list and valid until further notice

² Weight included in the vehicle

³ 32 kg on Mc4, 36 kg on Nevis

⁴ Heavy chassis can also be approved for 3.5 t

⁵ Not available on Heavy chassis

⁶ 4 meters on Mc4 860 e 865; 4,5 meters on Mc4 870, 873, 879, 881; 5 meters on Nevis 840, 870, 873, 879, 881

OPTIONS

SERIES 800



FORD CHASSIS - OPTIONS	KG	SERIES 800										
		MC4						NEVIS				
		860	865	870	873	879	881	840	870	873	879	881
HEAVY chassis 4,100 kg *	-	O	O	O	O	O	O					
Maximum permissible weight 3,550 kg	-	O	O	O	O	O	O					
Bi-Xenon headlights with LED DRL**	-	O	O	O	O	O	O					

* Automatic gearbox and Extra Assistance Pack are both mandatory. Can be registered as 3,500 kg.

** Matic Pack and Design Pack are both mandatory.

FIAT CHASSIS - OPTIONS	KG	SERIES 800										
		MC4						NEVIS				
		860	865	870	873	879	881	840	870	873	879	881
160 hp	10 manual 48 automatic	O	O	O	O	O	O	O	O	O	O	O
180 hp combined with automatic gearbox	48	O	O	O	O	O	O	O	O	O	O	O
Cab colour "SOLID" - EXPEDITION GREY [676]	-	O	O	O	O	O	O	-	-	-	-	-
Cab colour "METALLIC" - ARTENSE GREY [113]	-	O	O	O	O	O	O	-	-	-	-	-
Maximum permissible weight 3,650 kg	-	O	O	O	O	O	O	O	O	O	O	O
HEAVY chassis** 4,250Kg* / 4,400Kg*	Manual: 62 Automatic: 82	4,25t: 140 CV M-AT / 160 CV M 4,4t: 160 CV AT	4,25t: 140 CV M-AT / 160 CV M 4,4t: 160 CV AT	4,25t: 140 CV M-AT / 160 CV M 4,4t: 160 CV AT / 180 CV AT	4,25t: 140 CV M-AT / 160 CV M 4,4t: 160 CV AT / 180 CV AT	4,25t: 140 CV M-AT / 160 CV M 4,4t: 160 CV AT / 180 CV AT	4,25t: 140 CV M-AT / 160 CV M 4,4t: 160 CV AT / 180 CV AT	4,4t: 160 CV AT / 180 CV AT	4,4t: 160 CV AT / 180 CV AT	4,4t: 160 CV AT / 180 CV AT	4,4t: 160 CV AT / 180 CV AT	4,4t: 160 CV AT / 180 CV AT
Pioneer radio navigation system with 3-year European map subscription	-	O	O	O	O	O	O	O	O	O	O	O

* All HEAVY chassis can also be type-approved for 3,500 kg or 4,250 kg.

** Check engines available on each column.

M: manual gearbox AT: automatic gearbox

LIVING AREA - OPTIONS	KG	SERIES 800										
		MC4						NEVIS				
		860	865	870	873	879	881	840	870	873	879	881
Dinette conversion into bed	5	S	S	O (+1)	S	S	O (+1)	O (+2)	O (+1)	S	S	O (+1)
CEDAR upholstery (microfibre)	-	O	O	O	O	O	O	O	O	O	O	O
TEAK upholstery (imitation leather)	-	O	O	O	O	O	O	O	O	O	O	O
Front skylight – Heki 3 [900x600]	6	-	-	-	-	-	-	O	O	O	O	O
Rear skylight - Midi Heki [700x500]	5	O	O	O	O	O	O	O	O	O	O	O
Omnivent skylight [400x400, with fan]	2	O	O	O	O	O	O	O	O	O	O	O
Oven	14	O	O	O	O	O	O	O	O	O	O	O
Truma Combi 4 Diesel heating (4000W)	-	O	O	O	O	O	O	O	O	O	O	O
Truma Combi 6 Gas heating (6000W)	-	O	O	O	O	O	O	O	O	O	O	O
Truma Combi 6 Gas + Electric heating (6000W)	1	O	O	O	O	O	O	O	O	O	O	O
Truma Combi 6 Diesel heating (6000W)	-	O	O	O	O	O	O	O	O	O	O	O
Truma Combi 6 Diesel + electric heating (6000W)	1	O	O	O	O	O	O	O	O	O	O	O
Electrically heated floor *	7	O	O	O	O	O	O	O	O	O	O	O
Bicycle rack	12,5	O	O	O	O	O	O	O	O	O	O	O
Multi-purpose rails in the garage	6	O	O	O	O	O	O	-	-	-	-	-
Partition curtain between cab and living area	3	O	O	O	O	O	O	-	-	-	-	-

* Available only in combination with Combi 6 Gas + Electric or Combi 6 Diesel + Electric.


S= standard O=optional VTR= Fibreglas MTS= multi-layered plywood

Additional packs and options may only be installed in accordance with the vehicle's maximum technically permissible weight. For the calculation of the weight, please refer to the QR code on page 1.



**Essential information to help
you choose your vehicle**

NOTES - This catalogue does not represent contractual documentation, rather only general information. SEA S.p.A. reserves the right to change the features and fitting of any of its models without prior notice; all data contained in this brochure is therefore to be considered as indicative and nonbinding. For the above reasons, all information relating to the specifications and equipment of each model must be requested prior to purchase from the dealer, who, as the sole contact person, will confirm or correct the data published by updating the customer on the characteristics and actual equipment of the relevant vehicle being negotiated. Despite careful content checks, possible printing and/or translation errors cannot be excluded. This catalogue does not constitute contractual documentation. Any reproduction, even partial, of the text or contents of this document is prohibited. We disclaim all liability in the event of structural modifications made to the vehicle; any assembly, disassembly or modifications carried out at unauthorised workshops may endanger your safety and also lead to the voiding of warranty clauses. For more information on installation and technical details, please contact the authorised sales network.



MENFYS 1

APPROVED SEATS	4
SLEEPS	2




Essential information
to help you choose
your vehicle

Chassis	Weight (kg)	
Engine, Power		2.2 BlueHDi 140 CV
Maximum technically permissible weight (kg)	3500	
Weight unladen in running conditions (kg)	2854	
Maximum mass of optional equipment (kg)	320	
Wheelbase (mm)	3450	
Maximum towable weight (kg)	2500	
Wheels dimensions	15"	
Manual air conditioning	S	
Driver and Passenger airbag	S	
Cruise Control with Intelligent Speed Assist	S	
ABS / ESC / Traction +	S/S/S	
Fuel tank (l)	90	
Swivelling driver' and passenger's seat	S	
Tyres M+S (mud and snow)	S	
Black bumper	S	
Dimensions and places		
External length (mm)	5410	
External width (mm)	2050	
External height(cm) / Internal height (cm)	265 / 189	
Rear bed (cm)	194x136(125)	
Beds with staves	S	
Skylight		
700x500 mm panoramic skylight	S	
400x400 mm rear skylight	S	
Openable rear windows	S	
Double-glazed windows with blind / mosquito net	S	
Installations		
Burners	2	
Max tank capacity: fresh water in driving conditions / fresh water with stationary vehicle / grey water (l)	90 / 90 / 75	
Compressor fridge (l)	84	
Standard heating system	COMBI DIESEL 4kW	
Gas bottles (max kg)*	2 x 5 kg	
Bathroom window (double opaque glass)	S	
Internal insulation material	POLYESTER FIBER + ALUMINIUM FILM	
Floor thickness (mm)	36	
Equipments		
Isofix	S	
Mosquito net for side door	S	
Electric step	S	
Seat covers	S	
Stowage above the cabin	S	
Shower tray with double drain	S	
Table extensions in dinette	S	
Internal LED lightening	S	

* Depending on the gas bottles available in each country, this capacity may be limited

S= standard O=optional



MENFYS 3

APPROVED SEATS	4
SLEEPS	2




Essential information
to help you choose
your vehicle

Chassis	Weight (kg)	S 
Engine, Power		2.2 BlueHDi 140 CV
Maximum technically permissible weight (kg)		3500
Weight unladen in running conditions (kg)		2774
Maximum mass of optional equipment (kg)		370
Wheelbase (mm)		4035
Maximum towable weight (kg)		2500
Wheels dimensions		15"
Manual air conditioning		S
Driver and Passenger airbag		S
Cruise Control with Intelligent Speed Assist		S
ABS / ESC / Traction +		S/S/S
Fuel tank (l)		90
Swivelling driver' and passenger's seat		S
Tyres M+S (mud and snow)		S
Black bumper		S
Dimensions and places		
External length (mm)		5995
External width (mm)		2050
External height(cm) / Internal height (cm)		265 / 189
Rear bed (cm)		194x148
Beds with staves		S
Skylight		
700x500 mm panoramic skylight		S
400x400 mm rear skylight		S
Openable rear windows		S
Double-glazed windows with blind / mosquito net		S
Installations		
Burners		2
Max tank capacity: fresh water in driving conditions / fresh water with stationary vehicle / grey water (l)		20 / 85 / 90
Compressor fridge (l)		84
Standard heating system		COMBI DIESEL 4kW
Gas bottles (max kg)*		2 x 5 kg
Bathroom window (double opaque glass)		S
Internal insulation material		POLYESTER FIBER + ALUMINIUM FILM
Floor thickness (mm)		36
Equipments		
Isofix		S
Mosquito net for side door		S
Electric step		S
Seat covers		S
Stowage above the cabin		S
Table extensions in dinette		S
Internal LED lightening		S

* Depending on the gas bottles available in each country, this capacity may be limited

S= standard O=optional



MENFYS 3 MAXI



APPROVED SEATS

4

SLEEPS

4



Essential information
to help you choose
your vehicle

Chassis	Weight (kg)	
Engine, Power		2.2 BlueHDi 140 CV
Maximum technically permissible weight (kg)		3500
Weight unladen in running conditions (kg)		2844
Maximum mass of optional equipment (kg)		325
Wheelbase (mm)		4035
Maximum towable weight (kg)		2500
Wheels dimensions		15"
Manual air conditioning		S
Driver and Passenger airbag		S
Cruise Control with Intelligent Speed Assist		S
ABS / ESC / Traction +		S/S/S
Fuel tank (l)		90
Swivelling driver' and passenger's seat		S
Tyres M+S (mud and snow)		S
Black bumper		S
Dimensions and places		
External length (mm)		5995
External width (mm)		2050
External height(cm) / Internal height (cm)		265 / 189
Rear bed (cm)		186x145 - 184x133
Beds with staves		S
Skylight		
700x500 mm panoramic skylight		S
400x400 mm rear skylight		S
Openable rear windows		S
Double-glazed windows with blind / mosquito net		S
Installations		
Burners		2
Max tank capacity: fresh water in driving conditions / fresh water with stationary vehicle / grey water (l)		20 / 90 / 90
Compressor fridge (l)		84
Standard heating system		COMBI DIESEL 4kW
Gas bottles (max kg)*		2 x 5 kg
Bathroom window (double opaque glass)		S
Internal insulation material		POLYESTER FIBER + ALUMINIUM FILM
Floor thickness (mm)		36
Equipments		
Isofix		S
Mosquito net for side door		S
Electric step		S
Seat covers		S
Stowage above the cabin		S
Table extensions in dinette		S
Internal LED lightening		S

* Depending on the gas bottles available in each country, this capacity may be limited

S= standard O=optional



MENFYS 4

APPROVED SEATS	4
SLEEPS	2



Essential information
to help you choose
your vehicle

Chassis	Weight (kg)	
Engine, Power		2.2 BlueHDi 140 CV
Maximum technically permissible weight (kg)		3500
Weight unladen in running conditions (kg)		2882
Maximum mass of optional equipment (kg)		265
Wheelbase (mm)		4035
Maximum towable weight (kg)		2500
Wheels dimensions		15"
Manual air conditioning		S
Driver and Passenger airbag		S
Cruise Control with Intelligent Speed Assist		S
ABS / ESC / Traction +		S/S/S
Fuel tank (l)		90
Swivelling driver' and passenger's seat		S
Tyres M+S (mud and snow)		S
Black bumper		S
Dimensions and places		
External length (mm)		6365
External width (mm)		2050
External height(cm) / Internal height (cm)		265 / 189
Rear bed (cm)		190x80 + 185x82 - 194x190(185)
Beds with staves		S
Skylight		
700x500 mm panoramic skylight		S
400x400 mm rear skylight		S
Openable rear windows		S
Double-glazed windows with blind / mosquito net		S
Installations		
Burners		2
Max tank capacity: fresh water in driving conditions / fresh water with stationary vehicle / grey water (l)		20 / 85 / 90
Compressor fridge (l)		84
Standard heating system		COMBI DIESEL 4kW
Gas bottles (max kg)*		2 x 5 kg
Bathroom window (double opaque glass)		S
Internal insulation material		POLYESTER FIBER + ALUMINIUM FILM
Floor thickness (mm)		36
Equipments		
Isofix		S
Mosquito net for side door		S
Electric step		S
Seat covers		S
Stowage above the cabin		S
Table extensions in dinette		S
Internal LED lightening		S

* Depending on the gas bottles available in each country, this capacity may be limited

S= standard O=optional

OPTIONAL PACKS

Menfys



CHASSIS PACK		Weight (kg)
MATIC PACK	Automatic transmission	60

Additional packs and options may only be installed in accordance with the vehicle's maximum technically permissible weight. For the calculation of the weight, please refer to the QR code on page 1.

OPTIONS


MENFYS



CITROEN CHASSIS - OPTIONS	KG	MENFYS			
		1	3	3 MAXI	4
Delta 120 hp - 140 hp	-	O	O	O	S

S = Standard O = Option - = Not available

Additional packs and options may only be installed in accordance with the vehicle's maximum technically permissible weight.
For the calculation of the weight, please refer to the QR code on page 1.



MENFYS 1 NEXT



APPROVED SEATS

4

SLEEPS

2




Essential information
to help you choose
your vehicle

Chassis	Weight (kg)	
Engine, Power		2.2 BlueHDi 140 CV
Maximum technically permissible weight (kg)	3500	
Weight unladen in running conditions (kg)	2854	
Maximum mass of optional equipment (kg)	310	
Wheelbase (mm)	3450	
Maximum towable weight (kg)	2500	
Wheels dimensions	16" alloy	
Manual air conditioning	S	
Driver and Passenger airbag	S	
Cruise Control with Intelligent Speed Assist	S	
ABS / ESC / Traction +	S/S/S	
Fuel tank (l)	90	
Swivelling driver' and passenger's seat	S	
Tyres M+S (mud and snow)	S	
Black bumper	S	
Fog lights	S	
Black Skid Plate	S	
Dimensions and places		
External length (mm)	5410	
External width (mm)	2050	
External height(cm) / Internal height (cm)	265 / 189	
Rear bed (cm)	194x136(125)	
Additional bed kit in dinette (cm)	15	O (185x95/66)
Beds with staves	S	
Skylight		
400x400 mm front skylight	S	
400x400 mm rear skylight	S	
Openable rear windows	S	
Double-glazed windows with blind / mosquito net	S	
Installations		
Burners	2	
Max tank capacity: fresh water in driving conditions / fresh water with stationary vehicle / grey water (l)	90 / 90 / 75	
Compressor fridge (l)	84	
Standard heating system	COMBI DIESEL 4kW	
Gas bottles (max kg)*	2 x 5 kg	
Bathroom window (double opaque glass)	S	
Internal insulation material	POLYESTER FIBER + ALUMINIUM FILM	
Floor thickness (mm)	36	
Equipments		
Isofix	S	
Stowage above the cabin	S	
Shower tray with double drain	S	
Table extensions in dinette	S	
Internal LED lightening	S	

* Depending on the gas bottles available in each country, this capacity may be limited

S= standard O=optional



MENFYS 3 NEXT



APPROVED SEATS

4

SLEEPS

2




Essential information
to help you choose
your vehicle

Chassis	Weight (kg)	
Engine, Power		2,2 BlueHDi 140 CV
Maximum technically permissible weight (kg)		3500
Weight unladen in running conditions (kg)		2774
Maximum mass of optional equipment (kg)		275
Wheelbase (mm)		4035
Maximum towable weight (kg)		2500
Wheels dimensions		16" alloy
Manual air conditioning		S
Driver and Passenger airbag		S
Cruise Control with Intelligent Speed Assist		S
ABS / ESC / Traction +		S/S/S
Fuel tank (l)		90
Swivelling driver' and passenger's seat		S
Tyres M+S (mud and snow)		S
Black bumper		S
Fog lights		S
Black Skid Plate		S
Dimensions and places		
External length (mm)		5995
External width (mm)		2050
External height(cm) / Internal height (cm)		265 / 189
Rear bed (cm)		194x148
Additional bed kit in dinette (cm)	15	O (185x95/66)
Beds with staves		S
Skylight		
400x400 mm front skylight		S
400x400 mm rear skylight		S
Openable rear windows		S
Double-glazed windows with blind / mosquito net		S
Installations		
Burners		2
Max tank capacity: fresh water in driving conditions / fresh water with stationary vehicle / grey water (l)		20 / 85 / 90
Compressor fridge (l)		84
Standard heating system		COMBI DIESEL 4kW
Gas bottles (max kg)*		2 x 5 kg
Bathroom window (double opaque glass)		S
Internal insulation material		POLYESTER FIBER + ALUMINIUM FILM
Floor thickness (mm)		36
Equipments		
Isofix		S
Stowage above the cabin		S
Table extensions in dinette		S
Internal LED lightening		S

* Depending on the gas bottles available in each country, this capacity may be limited

S= standard O=optional



MENFYS 3 MAXI NEXT



APPROVED SEATS

4

SLEEPS

4



Essential information
to help you choose
your vehicle

Chassis	Weight (kg)	
Engine, Power		2,2 BlueHDi 140 CV
Maximum technically permissible weight (kg)		3500
Weight unladen in running conditions (kg)		2844
Maximum mass of optional equipment (kg)		255
Wheelbase (mm)		4035
Maximum towable weight (kg)		2500
Wheels dimensions		16" alloy
Manual air conditioning		S
Driver and Passenger airbag		S
Cruise Control with Intelligent Speed Assist		S
ABS / ESC / Traction +		S/S/S
Fuel tank (l)		90
Swivelling driver' and passenger's seat		S
Tyres M+S (mud and snow)		S
Black bumper		S
Fog lights		S
Black Skid Plate		S
Dimensions and places		
External length (mm)		5995
External width (mm)		2050
External height(cm) / Internal height (cm)		265 / 189
Rear bed (cm)		186x145 - 184x133
Additional bed kit in dinette (cm)	15	O (185x95/66)
Beds with staves		S
Skylight		
400x400 mm front skylight		S
400x400 mm rear skylight		S
Openable rear windows		S
Double-glazed windows with blind / mosquito net		S
Installations		
Burners		2
Max tank capacity: fresh water in driving conditions / fresh water with stationary vehicle / grey water (l)		20 / 90 / 90
Compressor fridge (l)		84
Standard heating system		COMBI DIESEL 4kW
Gas bottles (max kg)*		2 x 5 kg
Bathroom window (double opaque glass)		S
Internal insulation material		POLYESTER FIBER + ALUMINIUM FILM
Floor thickness (mm)		36
Equipments		
Isofix		S
Stowage above the cabin		S
Table extensions in dinette		S
Internal LED lightening		S

* Depending on the gas bottles available in each country, this capacity may be limited

S= standard O=optional



MENFYS 4 NEXT



APPROVED SEATS

4

SLEEPS

2



Essential information
to help you choose
your vehicle

Chassis	Weight (kg)	
Engine, Power		2,2 BlueHDi 140 CV
Maximum technically permissible weight (kg)		3500
Weight unladen in running conditions (kg)		2882
Maximum mass of optional equipment (kg)		175
Wheelbase (mm)		4035
Maximum towable weight (kg)		2500
Wheels dimensions		16" alloy
Manual air conditioning		S
Driver and Passenger airbag		S
Cruise Control with Intelligent Speed Assist		S
ABS / ESC / Traction +		S/S/S
Fuel tank (l)		90
Swivelling driver' and passenger's seat		S
Tyres M+S (mud and snow)		S
Black bumper		S
Fog lights		S
Black Skid Plate		S
Dimensions and places		
External length (mm)		6365
External width (mm)		2050
External height(cm) / Internal height (cm)		265 / 189
Rear bed (cm)		190x80 + 185x82 - 194x190(185)
Additional bed kit in dinette (cm)	15	O (185x95/66)
Beds with staves		S
Skylight		
400x400 mm front skylight		S
400x400 mm rear skylight		S
Openable rear windows		S
Double-glazed windows with blind / mosquito net		S
Installations		
Burners		2
Max tank capacity: fresh water in driving conditions / fresh water with stationary vehicle / grey water (l)		20 / 85 / 90
Compressor fridge (l)		84
Standard heating system		COMBI DIESEL 4kW
Gas bottles (max kg)*		2 x 5 kg
Bathroom window (double opaque glass)		S
Internal insulation material		POLYESTER FIBER + ALUMINIUM FILM
Floor thickness (mm)		36
Equipments		
Isofix		S
Stowage above the cabin		S
Table extensions in dinette		S
Internal LED lightening		S

* Depending on the gas bottles available in each country, this capacity may be limited

S= standard O=optional

OPTIONAL PACKS

Menfys Next



CHASSIS PACK		Weight (kg)
MEDIA PACK	9" touchscreen wireless radio with Android Auto/Apple Car Play; Rear-view camera	4
MATIC PACK	Automatic transmission	60
MOTION PACK	Electric parking brake; Soft-touch steering wheel and gear knob; Techno Dashboard	-9
EXTRA SAFETY PACK – Motion Pack required	Light and rain sensors with high beam recognition; Adaptive Cruise Control for speed > 30 km/h	0
EXTRA TECH PACK – Motion Pack required	FULL LED headlights; Full Digital Cluster; Automatic air conditioning; Wireless smartphone charger	1
VISION PACK – Motion Pack required	Power-folding mirrors with electric defroster; Blind spot assist sensors + Rear Cross Path Detection	1

CELLULA PACK		Weight (kg)
DRIVE PACK*	Seat covers; LED exterior light; CP Plus control panel; Midi Heki panoramic portlight 70x50 cm, Mosquito net for side door; Electric sliding step, Pleated blinds in cab	._**
SILVER PACK*	200 W solar panel; Awning	._**

* On Menfys Next, Pack Drive and Pack Silver optional at zero cost. PLEASE NOTE: promotion active in the launch price list and valid until further notice

** Weight included in the vehicle

OPTIONS

MENFYS NEXT



CHASSIS CITROEN - OPTIONAL	KG	MENFYS NEXT			
		1	3	3 MAXI	4
Delta 140 hp - 160 hp	10 manual 60 automatic	O	O	O	O
Delta 140 hp - 180 hp automatic gearbox	60	O	O	O	O
HEAVY** chassis at 4,250 kg*	Manual: 85 Automatic: 45	-	O	O	O
Cab colour "SOLID" - Expedition Grey / Lanzarote	-	O	O	O	O
Cab colour "METALLIC" - Iron Grey / Artense Grey / Metallic Black	-	O	O	O	O
Pioneer radio navigation system with 3-year European map subscription	-	O	O	O	O

* All HEAVY chassis can also be registered as 3,500 kg.

M: manual gearbox - AT: automatic gearbox

** See available engine options in each column.

LIVING AREA - OPTIONS	KG	MENFYS NEXT			
		1	3	3 MAXI	4
AGM service battery	30	O	O	O	O
100Ah lithium battery	13	O	O	O	O
150Ah lithium battery	16	O	O	O	O
White POP UP - Lift-up roof with double bed (not compatible with Sky Roof)	134	O	O	O	O
Black POP UP - Lift-up roof with double bed (not compatible with Sky Roof)	139	O	O	O	O
Winter Tent for POP UP	2	O	O	O	O
Dinette conversion into a transverse single bed	15	O	O	O	O
Small extra bed in the cab	9	O	O	O	O
Winter Pack (thermal insulation for grey water tank and external pipes)	3	O	O	O	O
Truma Combi C6 6000W Gas	1	O	O	O	O
Truma Combi C6 6000W Gas + electric	-	O	O	O	O
Truma Combi C6 6000W diesel + electric	1	O	O	O	O

S = Standard O = Option - = Not available

Additional packs and options may only be installed in accordance with the vehicle's maximum technically permissible weight.
For the calculation of the weight, please refer to the QR code on page 1.

MENFYS 3 PRESTIGE




APPROVED SEATS

4

SLEEPS

2




Essential information
to help you choose
your vehicle

Chassis	Weight (kg)	CITROEN	FIAT
Engine, Power		2.2 BlueHDi 140 CV	2.2 MJ 140 CV
Maximum technically permissible weight (kg)		3500	3500
Weight unladen in running conditions (kg)		2774	2774
Maximum mass of optional equipment (kg)		280	280
Wheelbase (mm)		4035	4035
Maximum towable weight (kg)		2500	2500
Wheels dimensions		16" alloy	16" alloy
Manual air conditioning		S	S
Driver and Passenger airbag		S	S
Cruise Control with Intelligent Speed Assist		S	S
ABS / ESC / Traction +		S/S/S	S/S/S
Fuel tank (l)		90	90
Swivelling driver' and passenger's seat		S	S
Tyres M+S (mud and snow)		S	S
Black bumper		S	S
Fog lights		S	S
Black Skid Plate		S	S
Dimensions and places			
External length (mm)		5995	
External width (mm)		2050	
External height(cm) / Internal height (cm)		265 / 189	
Rear bed (cm)		194x148	
Additional bed kit in dinette (cm)	15	O (185x95/65)	
Beds with staves		S	
Skylight			
400x400 mm front skylight		S	
400x400 mm rear skylight		S	
Panoramic roof in the cab	20	O	
Large openable rear windows with maxi frame		S	
Double-glazed windows with blind / mosquito net		S	
Installations			
Burners		2	
Max tank capacity: fresh water in driving conditions / fresh water with stationary vehicle / grey water (l)		20 / 85 / 90	
Compressor fridge (l)		84	
Standard heating system		COMBI DIESEL 4kW	
Gas bottles (max kg)*		2 x 5 kg	
Bathroom window (double opaque glass)		S	
Internal insulation material		POLYESTER FIBER + ALUMINIUM FILM	
Floor thickness (mm)		36	
Equipments			
Isofix		S	
Open space cabin		S	
Table extensions in dinette		S	
Folding table		S	
Internal LED lightening		S	

* Depending on the gas bottles available in each country, this capacity may be limited

S= standard O=optional



MENFYS 3 MAXI PRESTIGE



APPROVED SEATS

4

SLEEPS

4



Essential information
to help you choose
your vehicle

Chassis	Weight (kg)	 CITROEN	FIAT
Engine, Power		2.2 BlueHDi 140 CV	2.2 MJ 140 CV
Maximum technically permissible weight (kg)		3500	3500
Weight unladen in running conditions (kg)		2844	2844
Maximum mass of optional equipment (kg)		260	260
Wheelbase (mm)		4035	4035
Maximum towable weight (kg)		2500	2500
Wheels dimensions		16" alloy	16" alloy
Manual air conditioning		S	S
Driver and Passenger airbag		S	S
Cruise Control with Intelligent Speed Assist		S	S
ABS / ESC / Traction +		S/S/S	S/S/S
Fuel tank (l)		90	90
Swivelling driver' and passenger's seat		S	S
Tyres M+S (mud and snow)		S	S
Black bumper		S	S
Fog lights		S	S
Black Skid Plate		S	S
Dimensions and places			
External length (mm)		5995	
External width (mm)		2050	
External height(cm) / Internal height (cm)		265 / 189	
Rear bed (cm)		186x145 - 184x133	
Additional bed kit in dinette (cm)	15	O (185x95/65)	
Beds with staves		S	
Skylight			
400x400 mm front skylight		S	
400x400 mm rear skylight		S	
Panoramic roof in the cab	20	O	
Large openable rear windows with maxi frame		S	
Double-glazed windows with blind / mosquito net		S	
Installations			
Burners		2	
Max tank capacity: fresh water in driving conditions / fresh water with stationary vehicle / grey water (l)		20 / 90 / 90	
Compressor fridge (l)		84	
Standard heating system		COMBI DIESEL 4kW	
Gas bottles (max kg)*		2 x 5 kg	
Bathroom window (double opaque glass)		S	
Internal insulation material		POLYESTER FIBER + ALUMINIUM FILM	
Floor thickness (mm)		36	
Equipments			
Isofix		S	
Open space cabin		S	
Table extensions in dinette		S	
Folding table		S	
Internal LED lightening		S	

* Depending on the gas bottles available in each country, this capacity may be limited

S= standard O=optional

MENFYS 4 PRESTIGE



APPROVED SEATS

4

SLEEPS

2



Essential information
to help you choose
your vehicle

Chassis	Weight (kg)		FIAT
Engine, Power		2.2 BlueHDi 140 CV	2.2 MJ 140 CV
Maximum technically permissible weight (kg)		3500	3500
Weight unladen in running conditions (kg)		2882	2882
Maximum mass of optional equipment (kg)		180	180
Wheelbase (mm)		4035	4035
Maximum towable weight (kg)		2500	2500
Wheels dimensions		16" alloy	16" alloy
Manual air conditioning		S	S
Driver and Passenger airbag		S	S
Cruise Control with Intelligent Speed Assist		S	S
ABS / ESC / Traction +		S/S/S	S/S/S
Fuel tank (l)		90	90
Swivelling driver' and passenger's seat		S	S
Tyres M+S (mud and snow)		S	S
Black bumper		S	S
Fog lights		S	S
Black Skid Plate		S	S
Dimensions and places			
External length (mm)		6365	
External width (mm)		2050	
External height(cm) / Internal height (cm)		265 / 189	
Rear bed (cm)		190x80 + 185x82 - 194x190(185)	
Additional bed kit in dinette (cm)	15	O (185x95/65)	
Beds with staves		S	
Skylight			
400x400 mm front skylight		S	
400x400 mm rear skylight		S	
Panoramic roof in the cab	20	O	
Large openable rear windows with maxi frame		S	
Double-glazed windows with blind / mosquito net		S	
Installations			
Burners		2	
Max tank capacity: fresh water in driving conditions / fresh water with stationary vehicle / grey water (l)		20 / 85 / 90	
Compressor fridge (l)		84	
Standard heating system		COMBI DIESEL 4kW	
Gas bottles (max kg)*		2 x 5 kg	
Bathroom window (double opaque glass)		S	
Internal insulation material		POLYESTER FIBER + ALUMINIUM FILM	
Floor thickness (mm)		36	
Equipments			
Isofix		S	
Open space cabin		S	
Table extensions in dinette		S	
Folding table		S	
Internal LED lightening		S	

* Depending on the gas bottles available in each country, this capacity may be limited

S= standard O=optional



MENFYS 4 MAXI PRESTIGE



APPROVED SEATS

4

SLEEPS

2



Essential information
to help you choose
your vehicle

Chassis	Weight (kg)	 CITROEN	FIAT
Engine, Power		2.2 BlueHDi 140 CV	2.2 MJ 140 CV
Maximum technically permissible weight (kg)		3500	3500
Weight unladen in running conditions (kg)		2882	2882
Maximum mass of optional equipment (kg)		190	190
Wheelbase (mm)		4035	4035
Maximum towable weight (kg)		2500	2500
Wheels dimensions		16" alloy	16" alloy
Manual air conditioning		S	S
Driver and Passenger airbag		S	S
Cruise Control with Intelligent Speed Assist		S	S
ABS / ESC / Traction +		S/S/S	S/S/S
Fuel tank (l)		90	90
Swivelling driver' and passenger's seat		S	S
Tyres M+S (mud and snow)		S	S
Black bumper		S	S
Fog lights		S	S
Black Skid Plate		S	S
Dimensions and places			
External length (mm)		6365	
External width (mm)		2050	
External height(cm) / Internal height (cm)		265 / 189	
Rear bed (cm)		188(178) x 160 (in high position) 188(178) x 190 (in low position)	
Additional bed kit in dinette (cm)	15	O (185x95/65)	
Beds with staves		S	
Skylight			
400x400 mm front skylight		S	
400x400 mm rear skylight		S	
Panoramic roof in the cab	20	O	
Large openable rear windows with maxi frame		S	
Double-glazed windows with blind / mosquito net		S	
Installations			
Burners		2	
Max tank capacity: fresh water in driving conditions / fresh water with stationary vehicle / grey water (l)		20 / 85 / 90	
Compressor fridge (l)		84	
Standard heating system		COMBI DIESEL 4kW	
Gas bottles (max kg)*		2 x 5 kg	
Bathroom window (double opaque glass)		S	
Internal insulation material		POLYESTER FIBER + ALUMINIUM FILM	
Floor thickness (mm)		36	
Equipments			
Isofix		S	
Open space cabin		S	
Table extensions in dinette		S	
Folding table		S	
Internal LED lightening		S	

* Depending on the gas bottles available in each country, this capacity may be limited

S= standard O=optional

OPTIONAL PACKS

Menfys Prestige



CHASSIS PACK		Weight (kg)
MEDIA PACK	9" touchscreen wireless radio with Android Auto/Apple Car Play; Rear-view camera	4
MATIC PACK	Automatic transmission	60
MOTION PACK	Electric parking brake; Soft-touch steering wheel and gear knob; Techno Dashboard	-9
EXTRA SAFETY PACK – Motion Pack required	Light and rain sensors with high beam recognition; Adaptive Cruise Control for speed > 30 km/h	0
EXTRA TECH PACK – Motion Pack required	FULL LED headlights; Full Digital Cluster; Automatic air conditioning; Wireless smartphone charger	1
VISION PACK – Motion Pack required	Power-folding mirrors with electric defroster; Blind spot assist sensors + Rear Cross Path Detection	1

CELLULA PACK		Weight (kg)
DRIVE PACK*	Seat covers; LED exterior light; CP Plus control panel; Midi Heki panoramic portlight 70x50 cm, Mosquito net for side door; Electric sliding step, Pleated blinds in cab	_***
SILVER PACK*	200 W solar panel; Awning	_***
ARCTIC DIESEL PACK	Combi 6 Diesel + Electric heating; Winter Pack (insulated and electrically heated gray water tank, insulated outer pipe); External pipes insulation for the heating pipe; Cab dashboard thermal insulation; Curtain kit (pleated curtain in dinette and rear curtains on rear doors); Thermal covers for interior windows	8
ARCTIC GAS PACK	Combi 6 Gas + Electric heating; Winter Pack (insulated and electrically heated gray water tank, insulated outer pipe); External pipes insulation for the heating pipe; Cab dashboard thermal insulation; Curtain kit (pleated curtain in dinette and rear curtains on rear doors); Thermal covers for interior windows	10

* On Menfys Prestige, Pack Drive and Pack Silver optional at zero cost. PLEASE NOTE: promotion active in the launch price list and valid until further notice

** Weight included in the vehicle

OPTIONS

MENFYS PRESTIGE



FIAT & CITREON CHASSIS - OPTIONS	KG	MENFYS PRESTIGE			
		3	3 MAXI	4	4 MAXI
Delta 140 hp - 160 hp	10 manual 60 automatic	O	O	O	O
Delta 140 hp - 180 hp automatic gearbox	60	O	O	O	O
HEAVY** chassis at 4,250 kg*	Manual: 85 Automatic: 45	4,25t: 140 HP M and AT / 160 HP M and AT	4,25t: 140 HP M and AT / 160 HP M and AT	4,25t: 160 HP AT / 180 HP AT	4,25t: 160 HP AT / 180 HP AT
Cab colour "SOLID" - Expedition Grey / Lanzarote	-	O	O	O	O
Cab colour "METALLIC" - Iron Grey / Artense Grey / Metallic Black	-	O	O	O	O
Pioneer radio navigation system with 3-year European map subscription	-	O	O	O	O

* All HEAVY chassis can also be registered as 3,500 kg.

** See available engine options in each column.


M: manual gearbox - AT: automatic gearbox

LIVING AREA - OPTIONS	KG	MENFYS PRESTIGE			
		3	3 MAXI	4	4 MAXI
Openable skyroof	20	O	O	O	O
AGM service battery	30	O	O	O	O
100Ah lithium battery	13	O	O	O	O
150Ah lithium battery	16	O	O	O	O
White POP UP - Lift-up roof with double bed (not compatible with Sky Roof)	134	O	O	O	O
Black POP UP - Lift-up roof with double bed (not compatible with Sky Roof)	134	O	O	O	O
POP UP Black + SKY ROOF - Pop-up roof with double bed	139	O	O	O	O
Winter Tent for POP UP	2	O	O	O	O
Dinette conversion into a transverse single bed	15	O	O	O	O
Small extra bed in the cab	9	O	O	O	O
Winter Pack (thermal insulation for grey water tank and external pipes)	3	O	O	O	O
Truma Combi C6 6000W Gas	0	O	O	O	O
Truma Combi C6 6000W Gas + electric	1	O	O	O	O
Truma Combi C6 6000W diesel + electric	1	O	O	O	O
Rear left window	8	O	-	O	O
Truma INETX control panel (with app)	0	O	O	O	O
Aluminium technical floor + ramp	19	-	-	-	O
Storage modules under the twin beds	32	-	-	O	-

S = Standard O = Option - = Not available

Additional packs and options may only be installed in accordance with the vehicle's maximum technically permissible weight.
For the calculation of the weight, please refer to the QR code on page 1.

MENFYS 3 YEARLING



APPROVED SEATS

4

SLEEPS

2



Essential information
to help you choose
your vehicle

Chassis	Weight (kg)	
Engine, Power		2.2 BlueHDi 140 CV - AUTOMATIC TRANSMISSION
Maximum technically permissible weight (kg)		3500
Weight unladen in running conditions (kg)		2834
Maximum mass of optional equipment (kg)		210
Wheelbase (mm)		4035
Maximum towable weight (kg)		2500
Wheels dimensions		16" alloy
Manual air conditioning		S
Driver and Passenger airbag		S
Cruise Control with Intelligent Speed Assist		S
ABS / ESC / Traction +		S/S/S
Fuel tank (l)		90
Swivelling driver' and passenger's seat		S
Tyres M+S (mud and snow)		S
Black bumper		S
Fog lights		S
Black Skid Plate		S
Radio touch screen 9" with steering wheels		S
Rear-view camera		S
Dimensions and places		
External length (mm)		5995
External width (mm)		2050
External height(cm) / Internal height (cm)		265 / 189
Rear bed (cm)		194x148
Additional bed kit in dinette (cm)		O (185x95/65)
Beds with staves	15	S
Skylight		
700x500 mm panoramic skylight		S
400x400 mm rear skylight		S
Panoramic roof in the cab	20	O
Large openable rear windows with maxi frame		S
Double-glazed windows with blind / mosquito net		S
Installations		
Burners		2
Max tank capacity: fresh water in driving conditions / fresh water with stationary vehicle / grey water (l)		20 / 85 / 90
Compressor fridge (l)		84
Standard heating system		COMBI DIESEL 4kW
Gas bottles (max kg)*		2 x 5 kg
Bathroom window (double opaque glass)		S
Internal insulation material		POLYESTER FIBER + ALUMINIUM FILM
Floor thickness (mm)		36
Equipments		
Isofix		S
Open space cabin		S
External LED light / Electric step		S / S
CP Plus control panel		S
Mosquito net for side door / Pleated cab blind		S / S
200 W solar panel / Awning		S / S
Table extensions in dinette		S
Folding table		S
Internal LED lightening		S

* Depending on the gas bottles available in each country, this capacity may be limited

S= standard O=optional

MENFYS 4 YEARLING



APPROVED SEATS

4

SLEEPS

2



Essential information
to help you choose
your vehicle

Chassis	Weight (kg)	
Engine, Power		2.2 BlueHDi 140 CV - AUTOMATIC TRANSMISSION
Maximum technically permissible weight (kg)	3500	
Weight unladen in running conditions (kg)	2942	
Maximum mass of optional equipment (kg)	110	
Wheelbase (mm)	4035	
Maximum towable weight (kg)	2500	
Wheels dimensions	16" alloy	
Manual air conditioning	S	
Driver and Passenger airbag	S	
Cruise Control with Intelligent Speed Assist	S	
ABS / ESC / Traction +	S/S/S	
Fuel tank (l)	90	
Swivelling driver' and passenger's seat	S	
Tyres M+S (mud and snow)	S	
Black bumper	S	
Fog lights	S	
Black Skid Plate	S	
Radio touch screen 9" with steering wheels	S	
Rear-view camera	S	
Dimensions and places		
External length (mm)	6365	
External width (mm)	2050	
External height(cm) / Internal height (cm)	265 / 189	
Rear bed (cm)	190x80 + 185x82 - 194x190(185)	
Additional bed kit in dinette (cm)	O (185x95/65)	
Beds with staves	15	S
Skylight		
700x500 mm panoramic skylight		S
400x400 mm rear skylight		S
Panoramic roof in the cab	20	O
Large openable rear windows with maxi frame		S
Double-glazed windows with blind / mosquito net		S
Installations		
Burners		2
Max tank capacity: fresh water in driving conditions / fresh water with stationary vehicle / grey water (l)		20 / 85 / 90
Compressor fridge (l)		84
Standard heating system		COMBI DIESEL 4kW
Gas bottles (max kg)*		2 x 5 kg
Bathroom window (double opaque glass)		S
Internal insulation material		POLYESTER FIBER + ALUMINIUM FILM
Floor thickness (mm)		36
Equipments		
Isofix		S
Open space cabin		S
External LED light / Electric step		S / S
CP Plus control panel		S
Mosquito net for side door / Pleated cab blind		S / S
200 W solar panel / Awning		S / S
Table extensions in dinette		S
Folding table		S
Internal LED lightening		S

* Depending on the gas bottles available in each country, this capacity may be limited

S= standard O=optional

OPTIONAL PACKS

Menfys Yearling



CHASSIS PACK			Weight (kg)
MOTION PACK	Electric parking brake; Soft-touch steering wheel and gear knob; Techno Dashboard	OPT	-9
EXTRA SAFETY PACK – Motion Pack required	Light and rain sensors with high beam recognition; Adaptive Cruise Control for speed > 30 km/h Y PACK – Motion Pack required	OPT	0
EXTRA TECH PACK – Motion Pack required	FULL LED headlights; Full Digital Cluster; Automatic air conditioning; Wireless smartphone charger	OPT	1
VISION PACK – Motion Pack required	Power-folding mirrors with electric defroster; Blind spot assist sensors + Rear Cross Path Detection	OPT	1
ARCTIC DIESEL PACK	Combi 6 Diesel + Electric heating; Winter Pack (insulated and electrically heated gray water tank, insulated outer pipe); External pipes insulation for the heating pipe; Cab dashboard thermal insulation; Curtain kit (pleated curtain in dinette and rear curtains on rear doors); Thermal covers for interior windows	OPT	8
ARCTIC GAS PACK	Combi 6 Gas + Electric heating; Winter Pack (insulated and electrically heated gray water tank, insulated outer pipe); External pipes insulation for the heating pipe; Cab dashboard thermal insulation; Curtain kit (pleated curtain in dinette and rear curtains on rear doors); Thermal covers for interior windows	OPT	10

Additional packs and options may only be installed in accordance with the vehicle's maximum technically permissible weight. For the calculation of the weight, please refer to the QR code on page 1.

OPTIONS

MENFYS YEARLING



CHASSIS - OPTIONS	KG	MENFYS YEARLING	
		3	4
Delta 140 hp automatic - 160 hp automatic	0	O	O
Delta 140 hp automatic - 180 hp automatic	0	O	O
HEAVY** chassis at 4,250 kg*	0	4,25t: 140 HP AT / 160 HP AT	4,25t: 160 HP AT / 180 HP AT
Pioneer radio navigation system with 3-year European map subscription	-	O	O

* All HEAVY chassis can also be type-approved for 3,500 kg.

** See available engine options in each column.

M: manual gearbox - AT: automatic gearbox

LIVING AREA - OPTIONS	KG	MENFYS YEARLING	
		3	4
Openable skyroof	20	O	O
AGM service battery	30	O	O
100Ah lithium battery	13	O	O
150Ah lithium battery	16	O	O
White POP UP - Lift-up roof with double bed (not compatible with Sky Roof)	134	O	O
Black POP UP - Lift-up roof with double bed (not compatible with Sky Roof)	134	O	O
POP UP Black + SKY ROOF - Pop-up roof with double bed	139	O	O
Winter Tent for POP UP	2	O	O
Conversion of the dinette into a transverse single bed	15	O	O
Small extra bed in the cab	9	O	O
Winter Pack (thermal insulation for grey water tank and external pipes)	3	O	O
Truma Combi C6 6000W Gas	0	O	O
Truma Combi C6 6000W Gas + electric	1	O	O
Truma Combi C6 6000W diesel + electric	1	O	O
Rear left window	8	O	O
Truma INETX control panel (with app)	0	O	O
Storage modules under the twin beds	32	-	O

S = Standard O = Option - = Not available